



International Journal for Innovative Engineering and Management Research

A Peer Reviewed Open Access International Journal

www.ijiemr.org

COPY RIGHT



ELSEVIER
SSRN

2018 IJIEMR. Personal use of this material is permitted. Permission from IJIEMR must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works. No Reprint should be done to this paper, all copy right is authenticated to Paper Authors

IJIEMR Transactions, online available on 27^h Nov 2018. Link

[:http://www.ijiemr.org/downloads.php?vol=Volume-07&issue=ISSUE-12](http://www.ijiemr.org/downloads.php?vol=Volume-07&issue=ISSUE-12)

Title: **DESIGN AND OPTIMIZATION OF A FIXED POINT LMS ADAPTIVE FILTER FOR REDUCED AREA AND LESS DELAY APPLICATION**

Volume 07, Issue 12, Pages: 409–415.

Paper Authors

AVIDODDI YERRISWAMY, N.SIVA KUMAR REDDY

SIR C.V. RAMAN Institute of Technology & Science, AP, India



USE THIS BARCODE TO ACCESS YOUR ONLINE PAPER

To Secure Your Paper As Per **UGC Guidelines** We Are Providing A Electronic Bar Code

DESIGN AND OPTIMIZATION OF A FIXED POINT LMS ADAPTIVE FILTER FOR REDUCED AREA AND LESS DELAY APPLICATION

AVIDODDI YERRISWAMY¹, N.SIVA KUMAR REDDY²

¹PG Scholar, Dept of ECE, SIR C.V. RAMAN Institute of Technology & Science, AP, India

² Assistant Professor, Dept of ECE, SIR C.V. RAMAN Institute of Technology & Science, AP, India

Abstract: In this paper, we present an efficient architecture for the implementation of a delayed least mean square Adaptive filter. For achieving lower adaptation-delay and area-delay-power, we use a novel partial product generator and propose an optimized balanced pipelining across the time-consuming combinational blocks of the structure. From synthesis results, we find that the proposed design with less area-delay product (ADP) and less energy-delay product (EDP) than the best of the existing systolic structures, for various filter lengths. We propose an efficient fixed-point implementation scheme in the proposed architecture. We present here the optimization of design to reduce the number of pipeline delays along with the area, sampling period, and energy consumption. The proposed design is found to be more efficient in terms of the power-delay product (PDP) and energy-delay product (EDP) compared to the existing structures.

Index Terms—Adaptive filters, Adder tree optimization, fixed-point arithmetic, least mean square (LMS) algorithms.

1.INTRODUCTION

The filter is an important component in the communication world. It can eliminate unwanted signals from useful information. However, to obtain an optimal filtering performance, it requires ‘a priori’ knowledge of both the signal and its embedded noise statistical information. The classical approach to this problem is to design frequency selective filters, which approximate the frequency band of the signal of interest and reject those signals outside this frequency band. The removal of unwanted signals through the use of optimization theory is becoming popular, particularly in the area of adaptive filtering. These filters minimize the mean square of the error signal, which is the difference between the reference signal and the

estimated filter output, by removing unwanted signals according to statistical parameters. The Least Mean Square (LMS) adaptive filter is the widely used filter because of its simplicity and performance. The Least Mean Square adaptive filter is used here because it differs from a traditional digital filter in many ways—A traditional digital filter has only one input signal $x(n)$ and one output signal $y(n)$. An adaptive filter requires an additional input signal $d(n)$ and returns an additional output signal $e(n)$. The filter coefficients of a traditional digital filter do not change over time. The coefficients of an adaptive filter change over time. Therefore, adaptive filters have a self-learning ability that traditional digital filters do not have.

Least mean squares (LMS) algorithms are a class of adaptive filter used to mimic a desired filter by finding the filter coefficients that relate to producing the least mean squares of the error signal (difference between the desired and the actual signal). It is stochastic gradient method in that the filter is only adapted based on the error at the current time. The LMS algorithm is the most popular method for adapting a filter, which has made it widely adopted in many applications. Applications include adaptive channel equalization, adaptive predictive speech coding, Noise Suppression and on-line system identification. Recently, because of the progress of digital signal processors, a variety of selective coefficient update of gradient-based adaptive algorithms could be implemented in practice. The DLMS adaptive algorithm is introduced to achieve lower adaptation-delay. It can be implemented using pipelining. But it can be used only for large order adaptive filters. Typical DSP Programs with highly real-time, design hardware and or software to meet the application speed constraint. It also deals with 3-Dimensional Optimization (Area, Speed, and Power) to achieve required speed, area-power tradeoffs and power consumption. An efficient scheme is presented for implementing the LMS-based transversal adaptive filter in block floating-point (BFP) format, which permits processing of data over a wide dynamic range, at temporal and hardware complexities significantly less than that of a floating-point processor.

2 LITERATURE SURVEY

Adders form an almost obligatory component of every contemporary

integrated circuit. The prerequisite of the adder is that it is primarily fast and secondarily efficient in terms of power consumption and chip area. There are various adder topologies are there such as Ripple carry adder, carry save adder, carry look ahead adder, carry increment adder, carry skip adder, carry select adder etc. In area, power specification of the modified delayed LMS algorithm each of the adder structures has its own variations. In this work, the performances of adder topologies are tested for robustness against area, delay and power dissipation. They are selected for this work since they have been commonly used in many applications. Addition is an indispensable operation for any high speed digital system, digital signal processing or control system. Therefore pertinent choice of adder topologies is an essential importance in the design of VLSI integrated circuits for high speed and high performance CMOS circuits. The maximum power dissipation occurs for carry save adder. The least power dissipation occurs for ripple carry adder. From the area distribution and gate count the carry save adders occupies more area and gate count, ripple carry occupies less area and Gate count.

3 BLOCK DIAGRAM OF LMS ADAPTIVE FILTER

There are two main computing blocks in the general block adaptive filter is Error-Computation block and Weight- Update block. The general block diagram of the Delayed LMS adaptive filter is shown in and the delay introduced by the whole of adaptive filters structure. In proposed method the adaptation delay of conventional LMS can be decomposed into two parts: one

part of the delay is introduced by the pipeline stages in FIR filtering, and another part of the delay involved in pipelining of weight update process. It can perform optimal pipelining by feed forward cutest retiming of both of these sections separately. Because it is used to minimize the number of pipeline stages and adaptation delay in each of the condition. The Filter output $y(n)$ and the desired signal should be compared and the error signal given to the weight update block. For every input sample, the LMS algorithm calculates the filter output and finds the difference between the computed output and the desired response. Using this difference the filter weights are updated in every cycle. During the n -th iteration, LMS algorithm updates the weights as follows: $W_{n+1} = W_n + \mu \cdot e(n) \cdot x(n)$ (1) Where, μ is the convergence-factor. $e(n) = d(n) - y(n)$ $y(n) = w^T(n) \cdot x(n)$ (2) Here, $x(n)$ is the input vector, $d(n)$ is the desired response, and $y(n)$ is the filter output of the n th iteration, $w(n)$ is the weight vector of an N th order LMS adaptive filter at the n th iteration, respectively, given by

$$x(n) = [x(n), x(n-1), \dots, x(n-N+1)]^T$$

$$w_n = [w_n(0), w_n(1), \dots, w_n(N-1)]^T$$

$e(n)$ Z denotes the error computed in the n th iteration which is used to update the weight





Fig 3.2 (a) Structure of conventional delayed LMS Fig



3.2(b) Structure of modified delayed LMS Adaptive filter Adaptive filter

Proposed System

In the conventional DLMS algorithm, the adaptation delay of 'm' cycles amounts to the delay introduced by the whole of adaptive filter structure consisting of FIR filtering and weight adaptation process. But instead, this adaptation delay could be decomposed into two parts. One part is the delay introduced due to the FIR filtering and the other part is due to the delay involved in weight adaptation.




Figure 2: Structure of modified DLMS adaptive filter

The proposed adaptive filter architecture, shown in Fig.2, consists of two main computing blocks, namely the error computation block and weight-update block. The computation of filter output and the final subtraction to compute the feedback error are merged in the error computation

unit to reduce the latency of error computation path

A. Error-Computation Block

The proposed structure for error-computation unit of an N-tap DLMS adaptive filter is shown in Fig. 3. It consists of N number of 2-bit partial product generators (PPG) corresponding to N multipliers and a cluster of L/2 binary adder trees, followed by a single shift-add tree. Each sub block is described in detail.




Figure 3: Structure of error-computation block.

Structure of PPG: The structure of each partial product generator (PPG) is shown in Fig.4. It consists of L/2 number of 2-to-3 decoders and the equal number of AND/OR cells (AOC). Each of the 2-to-3 decoders takes a 2-bit digit (u1u0) as input and produces three outputs $b_0 = u_0 \cdot u_1$, $b_1 = u_0 \cdot u_1$, and $b_2 = u_0 \cdot u_1$, such that $b_0 = 1$ for $(u_1u_0) = 1$, $b_1 = 1$ for $(u_1u_0) = 2$, and $b_2 = 1$ for $(u_1u_0) = 3$. The decoder output b_0 , b_1 and b_2 along with w , $2w$, and $3w$ are given to an AOC, where w , $2w$, and $3w$ are in 2^s

complement representation and sign-extended to have $(W + 2)$ bits each.




Figure 4: structure of partial product generator

Structure of AOCs:

The structures of an AOC, as shown in Fig 5, consists of three AND cells and two OR cells. Each AND cell takes an n-bit input and a single bit input b, also consists of n AND gates. It distributes all the n bits of input D to its n AND gates as one of the inputs. The other inputs of all the n AND gates are fed with the single-bit input b. The output of an AOC is w , $2w$, and $3w$ corresponding to the decimal values 1, 2, and 3 of the 2-b input (u_1u_0) . The decoder along with the AOC performs 2-bit multiplication and $L/2$ parallel multiplications with a 2-bit digit to produce $L/2$ partial products of the product word.




Figure 5: Structure and function of AND/OR cell

Structure of adder tree: The shifts-add operation on the partial products of each PPG gives the product value and then added

all the N product values to compute the inner product output. However, the shift-add operation obtains the product value which increases the word length, and the adder size. To avoid increase in word size of the adders, we add all the N partial products of the same place value from all the ' N ' PPGs by a single adder tree. Table I, shows the pipeline latches for various filter lengths B . Pipelined Structure of Weight-Update block. The proposed structure of weight-update block is shown in Fig.6. It performs N multiply-accumulate operations of the form $(\mu \times e) \times x_i + w_i$ to update N filter weights. The step size μ is taken as a negative power of 2 to realize the multiplication with recently available error by the shift operation. Each MAC unit performs the multiplication of the shifted value of error with the delayed input samples x_i followed by the additions with the corresponding old weight values w_i . All the MAC operations are performed by N PPGs, followed by N shift-add trees. Each of the PPGs generates $L/2$ partial products corresponding to the product of the recently shifted error value $\mu \times e$ with the number of 2-bit digits of the input word x_i . The sub expression can be shared across all the multipliers. This leads to a gradual reduction of adder in complexity. The final outputs of MAC units constitute updated weights to be used as inputs to the error-computation block and the weight-update block for the next iteration.




Figure 6: Structure of weight-update block
Adder Tree Optimization

The adder tree and shift-add tree computation can be pruned for further optimization of area, delay, and power complexity. The adder tree structure is given in Fig.7. To reduce the computational complexity, some of the LSBs of inputs of the adder tree can be truncated and the guard bits can be used to minimize the impact of truncation on the error performance of the adaptive filter. To have more hardware saving, the bits to be truncated are not generated by the PPGs, so the complexity of PPGs also gets reduced. To have more hardware saving, the bits to be truncated are not generated by the PPGs, so the complexity of PPGs also gets reduced.




Figure 7: Structure of adder tree

4. SIMULATION RESULTS

The LMS Filter written in verilog, compiled and simulation using modelsim. The circuit

simulated and synthesized. The simulated result for LMS Filter




Fig.7 Simulation Result.

5 CONCLUSION

In this paper an area–delay–power efficient low adaptation delay architecture for fixed-point implementation of LMS adaptive filter is proposed. We used a novel PPG for efficient implementation of general multiplications and inner-product computation by common sub-expression sharing. Besides, an efficient addition scheme for inner-product computation to reduce the adaptation delay significantly in order to achieve faster convergence performance and to reduce the critical path to support high input-sampling rates is proposed. Aside from this, a strategy for optimized balanced pipelining is proposed across the time-consuming blocks of the structure to reduce the adaptation delay and power consumption, as well. The proposed structure involved significantly less adaptation delay and provided significant saving of ADP and EDP compared to the existing structures. A fixed-point implementation of the proposed architecture, and derived the expression for steady-state error. We found that the steady-state MSE obtained from the analytical result matched well with the simulation result. In this paper a pruning scheme that provides nearly 20% saving in the ADP and 9% saving in EDP

over the proposed structure before pruning, without a noticeable degradation of steady-state error performance is discussed. The highest sampling rate that could be supported by the ASIC implementation of the proposed design ranged from about 870 to 1010 MHz for filter orders 8 to 32. When the adaptive filter is required to be operated at a lower sampling rate, one can use the proposed design with a clock slower than the maximum usable frequency and a lower operating voltage to further reduce the power consumption.

REFERENCES

- [1] Pramod Kumar Meher, *Senior Member, IEEE*, and Sang Yoon Park, *Member, IEEE* IEEE TRANSACTIONS ON VERY LARGE SCALE INTEGRATION (VLSI) SYSTEMS, VOL. 22, NO. 2, FEBRUARY 2014
- [2] S. Haykin and B. Widrow, *Least-Mean-Square Adaptive Filters*. Hoboken, NJ, USA: Wiley, 2003.
- [3] M. D. Meyer and D. P. Agrawal, “A modular pipelined implementation of a delayed LMS transversal adaptive filter,” in *Proc. IEEE Int. Symp. Circuits Syst.*, May 1990, pp. 1943–1946.
- [4] G. Long, F. Ling, and J. G. Proakis, “The LMS algorithm with delayed coefficient adaptation,” *IEEE Trans. Acoust., Speech, Signal Process.*, vol. 37, no. 9, pp. 1397–1405, Sep. 1989.
- [5] G. Long, F. Ling, and J. G. Proakis, “Corrections to ‘The LMS algorithm with delayed coefficient adaptation’,” *IEEE Trans. Signal Process.*, vol. 40, no. 1, pp. 230–232, Jan. 1992.
- [6] H. Herzberg and R. Haimi-Cohen, “A systolic array realization of an LMS



adaptive filter and the effects of delayed adaptation,” *IEEE Trans. Signal Process.*, vol. 40, no. 11, pp. 2799–2803, Nov. 1992.

[7] M. D. Meyer and D. P. Agrawal, “A high sampling rate delayed LMS filter architecture,” *IEEE Trans. Circuits Syst. II, Analog Digital Signal Process.*, vol. 40, no. 11, pp. 727–729, Nov. 1993.

[8] S. Ramanathan and V. Visvanathan, “A systolic architecture for LMS adaptive filtering with minimal adaptation delay,” in *Proc. Int. Conf. Very Large Scale Integr. (VLSI) Design*, Jan. 1996, pp. 286–289.

[9] Y. Yi, R. Woods, L.-K. Ting, and C. F. N. Cowan, “High speed FPGA-based implementations of delayed-LMS filters,” *J. Very Large Scale Integr. (VLSI) Signal Process.*, vol. 39, nos. 1–2, pp. 113–131, Jan. 2005.

[10] L. D. Van and W. S. Feng, “An efficient systolic architecture for the DLMS adaptive filter and its applications,” *IEEE Trans. Circuits Syst. II, Analog Digital Signal Process.*, vol. 48, no. 4, pp. 359–366, Apr. 2001.