

COPY RIGHT



ELSEVIER
SSRN

2021IJIEMR. Personal use of this material is permitted. Permission from IJIEMR must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works. No Reprint should be done to this paper, all copy right is authenticated to Paper Authors

IJIEMR Transactions, online available on 20th Oct 2016.

Link : <https://ijiemr.org/downloads/Volume-05/Issue-11>

Title: FACIAL EXPRESSION RECOGNITION USING DEEPIING LEARNING

volume 05, Issue 11, Pages: 35-42

Paper Authors: ¹Mr.Krishna Kishore.D, ² Mr.K.Arun Kumar,



USE THIS BARCODE TO ACCESS YOUR ONLINE PAPER

FACIAL EXPRESSION RECOGNITION USING DEEPIING LEARNING

¹Mr.Krishna Kishore.D,² Mr.K.Arun Kumar,

^{1,2} Assistant Professor,Dept. of CSE,
Malla Reddy Engineering College (Autonomous), Secunderabad, Telangana State

Abstract

Automatic human facial expression recognition can be an important component in computer vision. It is problematic for machine learning algorithms, where humans can significantly show their expressions. So, in machine learning methods, deep learning is a new technology that can classify the images of human faces into facial expression recognition categories using Convolutional Neural Networks (CNN). In this system, the Facial Expression Recognition was implemented by CNN network-based model with Lentarchitecture to improve prediction of expression results. Here we used a facial expression dataset that is loaded from Kaggle web resources and this dataset contains seven facial expression tags such as happy, anger, neutral, fear, sad, disgust, and surprise. In this system, along with emotion classifications, gender classification is also merged. Because automatic gender recognition has relevant to the addition of its usages in software applications whereas in social media and social networking websites. With this system, gender and facial expression recognition are explored through face detection using Convolutional Neural Network (CNN).

Keywords: - CNN, Expression Finding, User Feed back

1. INTRODUCTION

Now a day's people commonly detecting emotions by characteristic features, show off as a part of a facial expression. Here the happiness is unquestionably associated with an upward movement of the corners of the lips. As well as the other emotions are identified by other deformations categories to a particular expression. The facial expression of the same person classifies into

the normal emotions namely such ashappiness, sadness, fear, anger, surprise, and disgust. Here, the classification of facial expressions can be used for making interaction between human and machine.

Motivation

In this trending world, the necessity of preserve the security of information or physical property is becoming both rises important and difficult. In many countries,

day by day the rate of crimes reporting is increasingly in prone areas. Here, there is no automatic systems are available to track person's activity. So, if we can able to track human's facial expressions automatically then we can figure out the criminal effortlessly where facial expressions changes while doing various activities. So we proposed to a new application system where as Facial Expression Recognition (FER) System. We are impressed by the previous systems were developed as per their system creation for getting accurate and reliable facial expression recognition. So as a result we are highly recommended to implement a system application that recognizes facial expression and traceable one person's activity. In this system, we explore the practical investigation to estimate the importance of different facial regions of a human in the task of gender classification. For this motivation we implement CNN classifier with help of face images for gender classification such as Male or Female. Based to the experimental results, the upper regions of the face demonstrate to be the most important task for gender classification. Here for gender classification, we acquire Gender Classification dataset

from Kaggle web resources and this dataset contains two labels such as Male and Female.

2. RELATED WORK

Problem Statement

The human facial emotions are deriving through activation of particular sets of facial expressions. So, facial expressions educate non-verbal indications, which play the significant role in interpersonal relations. The automatic facial expression recognition can be significant component of innate man-machine interfaces where it can apply in clinical practice and behavioral science. For instance E-health care providers can give good services by using patients' emotional additional information state during diagnose or treatment and the retailers can estimate customer interest by using these metrics. The previous system facial expression recognitions are limited to 6 basic expressions like as joy, anger, fear, disgust, sad, and surprise. So, it is addressed problem where it is inadequate to depicts all human facial expressions and these facial expressions are divided based on facial actions. Identifying the face and facial expression recognizing is a tedious job when it is an essential to commitment with face configuration, orientation, location primary

components where the face is set. Collecting a huge labeled image training set for gender classification from social website image repositories desired access to private information on the subjects displaying in the images which is often personal or its complexity and time-consuming to manually label. In our proposed system implementing learn methods and classification of the face expression and gender identification with CNN model to resolve the above issues.

Objective

The objective of this system is recognition of facial expression and gender classification by using deep learning methods. In deep learning technology, the Convolutional Neural Network is a one of the method to overcome the difficulties in detection of facial expression and gender classification.

Scope

The below features are explain the scope of our proposed system.

- Our proposed application can be uses at crowdie places like bus station or railway station for identifying human faces and facial expressions of each person. In that environment any faces seem suspicious like fearful or angry

then the system can generate the alarm internally.

- This system can be installed in shopping malls to monitoring the customer's feedback to improve their business.
- During the online classes, this system can be used for get the students behaviors.

3. IMPLEMENTATION

Dataset collection

In this system we are using Kaggle Facial Expression Recognition (<https://www.kaggle.com/jonathanoheix/fac-e-expression-recognition-dataset>) and Gender-Classification (<https://www.kaggle.com/cashutosh/gender-classification-dataset>) datasets for training and validating. For FER system the input images are cropped 48x48 pixel grayscale images of faces. This each faces texted with 7 emotion classes such as happiness, disgust, anger, surprise, fear, sadness, and neutral. In the FER dataset, Training directory contains 28821 images of each class and validation directory contains 7066 images of each class depicts in figure.1.




Figure.1 Face-Expression-Recognition Dataset

As well as the Gender-classification data set is of cropped images of male and female. It is separate into training and validation directory. The Training folder contains 23,000 images of each class and validation folder contains 5,500 images of each class where shows in figure.2.




Figure.2 Gender Classification Dataset

Face Detection:

Face localization is a significant step for image classification since only the principal face features like as nose, eyes, mouth are needed for classification. In this system we referenced with Viola Jones object detection method for face detection or localization with feature based classification. Here Viola Jones object detection algorithm for obtaining face localization uses Haar-AdaBoost feature based cascade classifiers. This Cascade classifier is excessively significant element of the face localization or detection. The input image is deciding by the Haar features in the presence of the face features any of them.

FER Classification:

After face localization, the step of FER is to classify the given face features into one of the basic expression categories. In previous system methods working on where the feature extraction step and the feature classification step are individually but the deep learning networks methods can effectuate FER in an end-to-end way. Moreover, the loss layer is concatenation to the closing of the network to control the back-propagation error, and then the estimation of probability for each sample can be directly resulting by the network.

Gender Classification:

Like FER system, the gender classification also starts to work on with face localization features. The loading of CNN network model the system can create the classifier object and predict the gender classification by taking input face images features. At the final output image this gender classification results can be applied.

CNN:

In the diverse computer vision applications, the CNN has been largely used including FER. Because the CNN is accurate to face location changes and scale invariance behaves better than MLP classifier. Here apply the CNN to address the problems of obscures face pose variations, scale variations, and rotation in the facial recognition expressions and gender classification.

System Architecture:




Figure.3 System Model

The figure.3 describes about our proposed system. In this system model image is giving as input to system by browse the image from local system. Later the image can convert gray color image and apply the Haar AdaBoost method to detect face location

features. These features can become input to face expression recognition and gender classification methods. The final output image can be appearing with combination of face expression and gender detection.

System Flowchart




Figure .4 Flowchart of System Model

4. EXPERIMENTATION RESULTS




Figure.5 Image Upload Dialog box

Form the Home dialog application when we click on upload image icon then the upload dialog box will be open where shown in figure5.




Figure.6 Detection of Face Expression Recognition and Gender classification




Figure.7 Detection of Face Expression Recognition and Gender classification

From figure. 6 & 7 we are taking input as image using of Haar- AdaBoost algorithm it can detect face and return as gray image. From this gray image, this system can detect gender classification with network model files like male and female as well as from that gray image it can detect facial expression with network model files, from that expression we can detect emotions like happy, sad, anger, surprise, fear and neutral by emotion classifier.

5. CONCLUSION AND FUTURE WORK

In this system the automatic analysis of facial expression field is presented. We implemented a novel deep neural network

architecture such as CNN model for recognition of facial expression. Our proposed network consists of 4 convolutional layers where the 1st three layers are followed by max pooling and fully connected layer is a last one. Our propose system obtain facial images as the input and classifies them into any of the seven facial expressions and this system working on gender classification with CNN model. For preparing CNN model we used FER and gender classification dataset are derived from Kaggle web repositories. In the future work we would like to introduce face expression recognition system based restaurant feedback system. Now a day the famous of unmanned restaurants are raises. Due to the absence of staff, there is no direct knowledge of the customers' impressions in order to find out what their experiences with the restaurant.

6. REFERENCES

- [1] Chen, J., Chen, Z., Chi, Z., & Fu, H. (2014, August). Facial expression recognition based on facial components detection and hog features. In International Workshops on Electrical and Computer Engineering Subfields (pp. 884-888).
- [2] W. Wang, F. Chang, Y. Liu, and X. Wu, "Expression recognition method based on

evidence theory and local texture,” *Multimedia Tools and Applications*, pp. 1–15, 2016.

[3] T. Zhang, W. Zheng, Z. Cui, Y. Zong, J. Yan, and K. Yan, “A deep neural network-driven feature learning method for multi-view facial expression recognition,” *IEEE Transactions on Multimedia*, vol. 18, no. 12, pp. 2528–2536, 2016.

[4] H. Mliki, N. Fourati, M. Hammami, and H. BenAbdallah, “Data mining-based facial expressions recognition system.” in *SCAI*, 2013, pp. 185–194.

[5] A. J. O’toole, T. Vetter, N. F. Troje, H. H. Bulthoff, et al. Sex “ classification is better with three-dimensional head structure than with image intensity information. *Perception*, 26:75–84, 1997.

[6] B. Moghaddam and M.-H. Yang. Learning gender with support faces. *Trans. Pattern Anal. Mach. Intell.*, 24(5):707– 711, 2002.

[7] E. Makinen and R. Raisamo. Evaluation of gender classification methods with automatically detected and aligned faces. *Trans. Pattern Anal. Mach. Intell.*, 30(3):541–547, 2008.

[8] A. Mollahosseini, D. Chan, and M. H. Mahoor, “Going deeper in facial expression recognition using deep neural networks,” in *Applications of Computer Vision (WACV)*, 2016 *IEEE Winter Conference on. IEEE*, 2016, pp. 1–10.

[9] T. Zhang, W. Zheng, Z. Cui, Y. Zong, J. Yan, and K. Yan, “A deep neural network-driven feature learning method for multi-view facial expression recognition,” *IEEE Transactions on Multimedia*, vol. 18, no. 12, pp. 2528–2536, 2016.

[10] B. Sun, L. Li, G. Zhou, and J. He, “Facial expression recognition in the wild based on multimodal texture features,” *Journal of Electronic Imaging*, vol. 25, no. 6, pp. 061 407–061 407, 2016.