

A Peer Revieved Open Access International Journal

www.ijiemr.org

0000COPY RIGHT





2021 IJIEMR. Personal use of this material is permitted. Permission from IJIEMR must

be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works. No Reprint should be done to this paper, all copy right is authenticated to Paper Authors

IJIEMR Transactions, online available on 5th March 2021. Link: https://ijiemr.org/index.php/downloads/Volume-10/ISSUE-3

DOI: 10.48047/IJIEMR/V10/I03/24

Title: COMPARATIVE CHARACTERISTIC OF MORPHOMETRIC PARAMETERS IN RIGHT AND LEFT OF THE II PERIOD OF CHILDHOOD

Volume 10, Issue 03, Pages: 153-155.

Paper Authors Rustamova N.B.





USE THIS BARCODE TO ACCESS YOUR ONLINE PAPER

To Secure Your Paper As Per UGC Guidelines We Are Providing A Electronic

Bar Code



A Peer Revieved Open Access International Journal

www.ijiemr.o

COMPARATIVE CHARACTERISTIC OF MORPHOMETRIC PARAMETERS IN RIGHT AND LEFT OF THE II PERIOD OF CHILDHOOD Rustamova N.B.

Abu Ali ibn Sino Bukhara State Medical Institute

Abstract. The analysis was carried out on 10-year-old children of secondary schools №7. The results of the study showed that 10-year-old left-handed children lagged somewhat behind in physical development (body weight and chest circumference) compared to right-handed children of the same age, while the height and size of the left hand increased significantly.

Keywords. anthropometric indicators, height, body weight, interhemispheric asymmetry

I. Introduction.

Today children's applause is relevant and does not have the problem of a certain approach in the field of pedagogy and physical education. Some researchers have developed methods for teaching squirrels to the right, while others, on the contrary, have a positive attitude to the phenomenon. An individual approach has not been developed.

In our opinion, this problem requires one solution, since different forms of training and retraining of the left hand can negatively affect their physical and mental development. The issue of a differentiated approach to teaching (the teacher takes into account the individual characteristics of a student or a group of students in the learning process) is the basis of modern pedagogy [1].

The negative attitude towards the left hand has a long history and is reflected in the events, actions and attitudes associated with the right and left hand in different cultures [2].

As a rule, in different cultures, positive qualities are associated with the right side, negative - with the left. Perhaps this is one of the manifestations of the right-left attitude, as in different cultures.

Many researchers note that among left-handed children there are children who are able to perform motor movements at a high level, but there are also certain difficulties in performing awkward and incoherent movements and developing skills [7,11].

This is probably due to the congenital left hand. The advantage of the left hemisphere lies not only in the superiority of the left hand in performing motor movements, but also in the distribution of various functions (motor, visual, sensory, etc.) between the right and left hemispheres as a kind of reflection of interhemispherik asymmetry. [1,10].

We are often confronted with similar views of the left hand and relationships like this. Perhaps decisive factor negligence, is misunderstanding of the biological mechanisms of flattery, and most importantly, the inability of children to accept a variety of individual differences, their abilities, inclinations. differences in reactions, under the influence of factors. these individual same characteristics [2].

The number of left-handers in the world has a positive trend: if in 1928 3.3% of left-handers and 4.7% of left-handed men were identified, then in 1973 - 8.8% of left-handers and 10.4% of left-handers. Left-handed men, 1978-1988 Over the years, the number of left-handers increased by 12.4%, and left-handed men - by 13.9%. The increase in the number of students in schools in Ishim in 1998 was 5.2%, in 1999 - 6.1%., in 2000 - 5.5%, in 2001 - 7.5%, in 2002 - 7.9%, in 2003 - 8.3%, in 2004 - 8, 6% [12].

A decrease in intellectual abilities of a protein may have only one cause - it is a developmental pathology, but healthy proteins can also have remarkable abilities, there are plenty of such data [2].

Lefties have peculiarities of visual perception of information. It was found that the well-being of the visual system is especially characteristic of left-handed children [11,18].

On the contrary, cases such as asthenic neurosis are more common in children of primary school



A Peer Revieved Open Access International Journal

www.ijiemr.org

age. This is accompanied by a decrease in working capacity and activity, increased fatigue, and rapid fatigue. The peak of activity is observed only in the first two lessons, after which a decrease in endurance and motor movements is observed in children. In the following hours, children feel tired, lethargic and lose interest in new information [1,5].

It is recommended to start teaching children at school, as well as problems with such disorders as coordination of movements, including the lack of fine motor skills of the leading hand and the perception of body shapes through the program, the whole system discusses exercises for corrective work has significant opportunities in practice [6,11, 16].

The analysis of the available literature showed that the anthropometric parameters in one or another part of the body were not studied individually and to a certain extent in the "left-handed" complex for children. There is no data on the morphometric parameters of the body parts of left-handed children depending on age and sexual demorphism.

All this requires a deep study of the problem and analysis of the data obtained in the future.

Objective of the study: to study the comparative characteristics of morphometric indicators in children and adolescents 10 years old.

Research material: conducted on the basis of bilateral agreements of the Bukhara State Medical Institute in secondary school No. 7 in Bukhara (No. 517 dated 02.05.2020). Children were divided into 2 groups (n = 40): I - 10-year-olds group (n = 20); II- The results of a survey of a group of 10-year-old children (n = 20) were studied.

To carry out anthropometric measurements, the method of anthropometric research of children was used (morphometric features of assessing the physical development of children and adolescents - guidelines // Shomirzaev N.Kh., Ten S.A., Tukhtanazarova I., 1998). Anthropometric studies included measurements of height, body weight, arm length, and chest circumference.

Mathematical processing was carried out directly from the general data matrix Excel 7.0

using the capabilities of STTGRAPH 5.1, indicators of standard deviation and presentation errors were identified.

Research results and discussion. Studies have shown that 10-year-old left-handers had a height of 126.4 to 150.2 cm, on average 134.6 \pm 1152 cm, and in a right-wing woman of the same age - from 126.1 to 142.3 cm, an average of 134. 4 ± 0.768 cm.

The body weight of a left-handed woman ranged from 22.3 kg to 36.5 kg, on average 29.05 ± 0.696 kg, and in a right-handed woman of the same age - from 23.5 kg to 44.5 kg, on average 30.3 ± 1.008 kg ...

The length of the left arm ranged from 53.2 cm to 63.4 cm on average in 10-year-old left-handers, 57.5 ± 0.48 cm on average, and from 52.0 to 61.3 cm in right-handed people, on average 55.6 ± 0.432 cm.

Chest circumference in left-handed people averaged 63.05 ± 0.504 cm, and in right-handed people - on average 65.7 ± 1.032 cm .

Anthropometric studies among left-handed and ruling children showed that the right-hander was 0.20 cm lower than that of the left-hander of the same age, and that the body weight of the left-hander was 1.25 kg higher than that of the left-hander of the same age.

In 10-year-old left-handers, the length of the left arm turned out to be 1.90 cm longer than in right-handers. The size of the thoracic circumference turned out to be 2.65 cm wider on right-handed people than on left-handed people of the same age.

Conclusions: According to the data obtained, 10-year-old children lagged slightly behind in physical development (body weight and chest circumference) compared to children of the same age, on the contrary, there was a significant increase in the height and length of the left arm.

REFERENCES

1. Akimova E.Yu. The development of the mental activity of students in various systems of primary education: abstract dis. ... candidate of psychological sciences: 19.00.07 / Yaroslav. state ped. un-t them. 2.K. D. Ushinsky. - Yaroslavl, 2002 .-- 26 p.



A Peer Revieved Open Access International Journal

www.ijiemr.org

Page 155

- 2. Andreeva O.B. Features of the emotional sphere of left-handed children of senior preschool age: dis. candidate of psychological sciences: 19.00.01 General psychology, personality psychology, history of psychology. Ekaterinburg. 2006.164 p.
- 3. Bezrukikh MM Left-handed child at school and at home. Yekaterinburg: 1. LITUR ", 2001.-320 p.
- 4. Bezrukikh M.M. Learning difficulties in primary school. M., 2008.350 p.
- 5. Beley N. Ya. Methodical recommendations for teaching left-handed children in a physical education lesson. M., 2012.
- 6. Glazyrina L. D. Physical culture for preschoolers. Older age / L.D. Glazyrina. M .: VLADOS, 2000 .-- 264 p.
- 7. Guryev S. V. Using a computer in the process of physical education of senior preschool children // Innovative projects and programs in education 2013. No. 5.P.52-58.
- 8. Joy Clark. Human organism. // Scientific and educational collection Tree of Knowledge. No. 33 M .: MS IST LIMI-TED, 2001.
- 9. Ismatova MI, Teshaeva D.Sh., Comparative characteristics of the morphometric parameters of athletes involved in rhythmic gymnastics // New day in medicine scientific journal. 2/1 (29/1) 2020.S. 110-112.)
- 10. Massanova A. A. Development of physical qualities of a preschooler. // Experiment and innovation in school. 2011. No. 1. S. 64-68.
- 11. Nikolaeva EI Left-handed child: diagnosis, training, correction. SPb :: "CHILDHOOD-PRESS", 2005.128 p.
- 12. Savkina N. G. Dissertation on the topic: Pedagogical assistance to left-handed children in the first year of their schooling. Tyumen, 2005.266 p.
- 13. Savkina NG Features of adaptation of left-handed children in primary school // Materials of the regional scientific-practical conference "XIV Ershov readings". Ishim: IGPI im. PP Ershova, 2004.S. 120-123.
- 14. Savkina NG Family and left-handed child // Family education: history and modernity: Sat. scientific articles on the problems of non-violence pedagogy. Materials of the XXVI All-

- Russian Scientific and Practical Conference. SPb .: "Verba Magistri", 2003. S. 191.
- 15. Semenovich A.V. Neuropsychological correction in childhood. The method of replacement ontogenesis: a tutorial / A.V. Semenovich. M.: Genesis, 2007.-- 474 p.
- 16. Serpionova EI Features of hemispheric asymmetry, personality and speech of students of different educational profiles. // Innovative projects and programs in education. 2012. No. 5.S.47-51.
- 17. Sidenko AS, Yashina GA Review of methods of early development of children. // Experiment and innovation in school. 2013. No. 6.P.31-38.
- 18. Sirotyuk AL Correction of teaching and development of schoolchildren. M .: Sfera, 2009.273 p.
- 19. Tagiltseva NG Development of creative activity of children and youth: kindergarten, school, university. // Innovative projects and programs in education. 2012. No. 2. P.42-46.