



COPY RIGHT

2017 IJIEMR. Personal use of this material is permitted. Permission from IJIEMR must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works. No Reprint should be done to this paper, all copy right is authenticated to Paper Authors

IJIEMR Transactions, online available on 20th November 2017. Link :

<http://www.ijiemr.org/downloads.php?vol=Volume-6&issue=ISSUE-10>

Title: Connecting Social Media to E-Commerce Site Using Cold Start Product Recommendation.

Volume 06, Issue 10, Page No: 357 – 362.

Paper Authors

*** N.DIVYA TEJA REDDY, P.NAGARAJU, P.VIJAYARAGHAVULU.**

* Modugula Kalavathamma Institute of Technology for Women.



USE THIS BARCODE TO ACCESS YOUR ONLINE PAPER

To Secure Your Paper As Per **UGC Guidelines** We Are Providing A Electronic Bar Code

CONNECTING SOCIAL MEDIA TO E-COMMERCE SITE USING COLD START PRODUCT RECOMMENDATION

¹N.DIVYA TEJA REDDY, ²P.NAGARAJU, ³P.VIJAYARAGHAVULU

¹PG Scholar, Modugula Kalavathamma Institute of Technology for Women.

²Assistant Professor, Modugula Kalavathamma Institute of Technology for Women.

³Assistant Professor & Hod, Modugula Kalavathamma Institute of Technology for Women.

ABSTRACT:

In latest years, the boundaries among e-trade and social networking have become regularly blurred. numerous e-commerce web sites aid the mechanism of social login wherever customers will signal in the web sites victimization their social network identities like their fb or Twitter debts. users also can post their fresh bought product on microblogs with links to the e-trade product web sites. at some stage in this paper we will be predisposed to propose a completely unique answer for move-web page bloodless-start product recommendation, that ambitions to advise product from ecommerce web sites to customers at social networking web sites in “coldstart” matters, a haul that has seldom been explored before. A critical undertaking is the way to leverage facts extracted from social networking sites for pass-web page cold-start product advice. We advise to use the coupled users throughout social networking websites and e-trade web sites (customers United countries organisation have social networking bills and feature created purchases on e-trade websites) as a bridge to map users’ social networking options to a one-of-a-kind characteristic illustration for product advice. In particular, we have a tendency to recommend studying each users’ and merchandises’ feature representations (known as user embeddings and product embeddings, respectively) from records accrued from e-trade websites victimization persistent neural networks so apply a modified gradient boosting trees methodology to rework users’ social networking options into consumer embeddings. We will be predisposed to then develop a characteristic-primarily based matrix factorisation approach which may leverage the learnt user embeddings for bloodless-start product advice. Experimental consequences on an oversized dataset crafted from the biggest chinese microblogging provider SINA WEIBO and additionally the most important chinese B2C ecommerce net web page JINGDONG have shown the effectiveness of our deliberate framework.

keywords: e-trade, product recommender, product demographic, microblogs, recurrent neural networks.

I. INTRODUCTION

Nowadays, Recommender Systems, aiming at serving to users realize relevant and attention-grabbing things from the knowledge era, are wide studied and applied in varied fields starting from e-commerce to medication prediction .Besides the enumerable studies on rising the advice performance the way to fittingly justify there commendation results and ultimately persuade users to simply

accept them is additionally an awesome challenge in each analysis and engineering fields. Though several novel algorithms have well-tried that they need achieved smart, even wonderful performance in varied matrices on offline datasets, feedbacks from on-line applications show that users wouldn't invariably trust and follow the machine-produced results, that in additional hinders its wider development in real society Recently,

the acquisition intention of users has attracted abundant attention from scientific community.

Completely different from ancient recommender systems, they specialize in finding the factors which might verify one's temperament to buy merchandise on-line. In fact, the \$64000 on-line things one can face would be far more subtle. Suppose one user arrives at a T-shirt channel, in spite of what she has purchased any merchandise, whether or not she is intensively actuated to shop for one thing this point will extremely have an effect on the \$64000 recommendation result. Below this circumstance, the user's temperament, particularly her purchase intention would play associate primarily vital role in decisive her judgement to simply accept the things or not. During this paper, we tend to propose a scenario-based approach to check the result of users' purchase intention on a true recommender system, Tmall.com. Firstly, we tend to statistically analyse the dependence of nineteen representative users' options on their online activity sequence. Secondly, we tend to propose a scenariobased approach to severally distinguish users into 2 groups: one with obvious purchase intention, and another while not such motivation.

1] Opportunity model for e-commerce recommendation: Right product; right time

Author:-J. Wang and Y. Zhang

Description:Most of existing e-commerce suggerer systems aim to recommend the proper product to a user, supported whether or not the user is probably going to buy or sort of a product. On the opposite hand, the effectiveness of recommendations conjointly depends on the time of the advice. Allow us to take a user World Health Organization simply purchased a laptop computer as an example. She might purchase a replacement battery in a pair of years(assuming that the laptop computer's original battery typically fails to figure around that time) and get a

brand new laptop in another a pair of years. During this case, it's not a decent plan to suggest a brand new laptop computer or a replacement battery right when the user purchased the new laptop computer. It may hurt the user's satisfaction of the recommender system if she receives a doubtless right product recommendation at the incorrect time. We have a tendency to argue that a system mustn't solely suggest the foremost relevant item, however conjointly suggest at the proper time.

2] Retail sales prediction and item recommendations using customer demographics at store level

Author:-M. Giering

Description:This paper outlines a retail sales prediction and products recommendation system that was enforced for a sequence of retail stores. The relative importance of client demographic characteristics for accurately modeling the sales of every client kind square measure derived and enforced within the model. Knowledge consisted of daily sales data for 600 product at the shop level, broken out over a collection of non-overlapping client varieties. A recommender system was designed supported a quick on-line skinny Singular worth Decomposition. It's shown that modeling knowledge at a finer level of detail by clump across client varieties and demographics yields improved performance compared to one mixture model designed for the complete dataset. Details of the system implementation square measure represented and sensible problems that arise in such real-world applications square measure mentioned.

3] Amazon.com recommendations: Item-to-item collaborative filtering

Author:-G. Linden, B. Smith, and J. York

Description:Recommendation algorithms area unit best glorious for his or her use on e-commerce internet sites, wherever they use input a couple of customer's interests to come up with an inventory of suggested things. Several

applications use solely the things that customers purchase and expressly rate to represent their interests, however they'll additionally use alternative attributes, together with things viewed, demographic information, subject interests, and favourite artists. At Amazon.com, we tend to use recommendation algorithms to change the web store for every client. the shop radically changes supported client interests, showing programming titles to a engineer and baby toys to a replacement mother. There area unit 3 common approaches to resolution the advice problem: ancient cooperative filtering, cluster models, and search-based strategies. Here, we tend to compare these strategies with our algorithmic program, that we tend to decision item-to-item cooperative filtering.

4] The new demographics and market fragmentation

Author:- V. A. Zeithaml

Description: The underlying premise of this text is that dynamic demographics can result in a breakage of the mass markets for grocery product and supermarkets. A field study investigated the relationships between five demographic factors-sex, feminine operating standing, age, income, and matrimonial status-and a large vary of variables related to preparation for and execution of food market looking. Results indicate that the demographic teams dissent in important ways that from the standard food market shopper. Discussion centers on the ways in which dynamic demographics and family roles might have an effect on retailers and makers of grocery product.

5. We know what you want to buy: a demographic-based system for product recommendation on microblogs

Author:- W. X. Zhao, Y. Guo, Y. He, H. Jiang, Y. Wu, and X. Li

Description: Product recommender systems square measure usually deployed by e-commerce websites to boost user expertise and increase sales. However,

recommendation is proscribed by the merchandise data hosted in those e-commerce sites and is barely triggered once users square measure playing e-commerce activities. During this paper, we tend to develop a completely unique product recommender system known as breed, a merchandiser Intelligence recommender System, that detects users' purchase intents from their microblogs in close to time period and makes product recommendation supported matching the users' demographic data extracted from their public profiles with product demographics learned from microblogs and on-line reviews. Breed distinguishes itself from ancient product recommender systems within the following aspects: 1) breed was developed supported a microblogging service platform. As such, it's not restricted by the knowledge obtainable in any specific e-commerce web site. Additionally, breed is in a position to trace users' purchase intents in close to time period and build recommendations consequently.

2) In breed, product recommendation is framed as a learning to rank drawback. Users' characteristics extracted from their public profiles in microblogs and products' demographics learned from each on-line product reviews and microblogs square measure fed into learning to rank algorithms for product recommendation.

III. PROPOSED SYSTEM

We propose to use the coupled users across social networking sites and e-commerce websites (users United Nations agency have social networking accounts and have created purchases on e-commerce websites) as a bridge to map users' social networking options to latent options for product recommendation. In specific, we have a tendency to propose learning each users' and products' feature representations (called user embeddings and product embeddings, respectively) from knowledge collected from e-commerce websites exploitation continual neural networks then apply a changed

gradient boosting trees methodology to rework users' social networking options into user embeddings. We have a tendency to then develop a featurebased matrix factoring approach which might leverage the learnt user embeddings for cold-start product recommendation. It target text attribute, network attribute and temporal attribute




Fig: System Architecture

Advantages of Proposed System:

1. We have a tendency to propose a changed gradient boosting trees methodology to rework users' microblogging attributes to latent feature illustration which may be simply incorporated for product recommendation.
2. We have a tendency to propose and instantiate a feature-based matrix resolving approach by incorporating user and products options for cold-start product recommendation.
3. The results show that our projected framework is so effective in addressing the cross-site cold-start product recommendation drawback.

IV. MATHEMATICAL MODE

INPUT:-

Let S is the Whole System Consist of

$$S = \{I, P, O\}$$

I = Input.

$$I = \{U, Q, D\}$$

U = User

$$U = \{u_1, u_2, \dots, u_n\}$$

Q = Query Entered by user

$$Q = \{q_1, q_2, q_3, \dots, q_n\}$$

D = Dataset

P = Process:

Step1: Admin will upload the product in E-commerce site.

Step2: That uploaded product will be seen on Social sites where user can view, share and give comments on that product. User can send and receive friend request.

Step3: All the reviews should be seen in E-commerce site when user login to E-commerce site.

Output: User will get recommendation regarding of that product on ecommerce website.

V. SCOPE OF PROJECT

- 1) Easy to advertise product exploitation social networking web site.
- 2) Increase the interaction between user and social networking website.
- 3) We believe that our study can have profound impact on each analysis and business communities.
- 4) We propose a changed gradient boosting trees technique to rework users' microblogging attributes to latent feature illustration which may be simply incorporated for product recommendation.
- 5) We tend to propose and instantiate a feature-based matrix resolving approach by incorporating user and merchandise options for cold-start product recommendation.

VI. CONCLUSION

In this paper, we have concentrated on a novel issue, cross-site cool begin item suggestion, i.e., prescribing items from e-trade sites to micro-blogging clients without authentic buy records. Our primary thought is that on the e-trade sites, clients and items can be spoken to in the same dormant element space through element learning with the repetitive neural systems. Utilizing an arrangement of connected clients crosswise over both e-trade

sites and long range interpersonal communication destinations as an extension, we can learn include mapping capacities utilizing a changed angle boosting trees technique, which maps clients' qualities extricated from long range informal communication locales onto highlight representations gained from e-business sites. The mapped client components can be adequately joined into a include based network factorization approach for cold start item proposal. We have built a vast dataset from WEIBO and JINGDONG. The outcomes demonstrate that our proposed system is without a doubt compelling in tending to the cross-site icy begin item suggestion issue. We trust that our study will have significant effect on both research and industry groups.

ACKNOWLEDGMENT

We might want to thank the analysts and also distributors for making their assets accessible. We additionally appreciative to commentator for their significant recommendations furthermore thank the school powers for giving the obliged base and backing.

REFERENCES

- 1] F. Cheng, C. Liu, J. Jiang, W. Lu, W. Li, G. Liu, W. Zhou, J. Huang, and Y. Tang. Prediction of drug-target interactions and drug repositioning via network-based inference. *PLoS Computational Biology*, 8:e1002503, 2012.
- 2] E. Constantinides. Influencing the online consumer's behavior: the web experience. *Internet research*, 14:111–126, 2004.
- 3] J. L. Herlocker, J. A. Konstan, and J. Riedl. Explaining collaborative filtering recommendations. In *Proceedings of the 2000 ACM conference on Computer supported cooperative work*, pages 241–250. ACM, 2000.
- 4] C. Jayawardhena, L. T. Wright, and C. Dennis. Consumers online: intentions, orientations and segmentation. *International Journal of Retail & Distribution Management*, 35:515–526, 2007.
- 5] A. Karatzoglou. Collaborative temporal order modeling. In *Proceedings of the 7th ACM conference on Recommender systems*, pages 313–316, 2011.
- 6] I. Konstas, V. Stathopoulos, and J. Jose. On social networks and collaborative recommendation. In *Proceedings of the 32nd International ACMSIGIR Conference on Research and Development in Information Retrieval*, pages 195–202. ACM, 2009.
- 7] A. Liaw and M. Wiener. Classification and regression by random forest. *R news*, 2:18–22, 2002.
- 8] C.-H. Park and Y.-G. Kim. Identifying key factors affecting consumer purchase behavior in an online shopping context. *International Journal of Retail & Distribution Management*, 31:16–29, 2003.
- 9] P. Resnick, N. Iacovou, M. Suchak, P. Bergstrom, and J. Riedl. Grouplens: an open architecture for collaborative filtering of netnews. In *Proceedings of the 1994 ACM Conference on Computer Supported Cooperative Work*, pages 175–186. ACM, 1994.
- 10] B. Sarwar, G. Karypis, J. Konstan, and J. Riedl. Item-based collaborative filtering recommendation algorithms. In *Proceedings of the 10th International Conference on World Wide Web*, pages 285–295. ACM, 2001.
- 1] J. B. Schafer, J. A. Konstan, and J. Riedl. E-commerce recommendation applications. In *Applications of Data Mining to Electronic Commerce*, pages 115–153. Springer, 2001.
- 12] E. Shen, H. Lieberman, and F. Lam. What am i gonna wear?: scenario-oriented recommendation. In *Proceedings of the 12th international conference on Intelligent user interfaces*, pages 365–368. ACM, 2007.
- 13] K. H. Tso-Sutter, L. B. Marinho, and L. Schmidt-Thieme. Tag-aware recommender systems by fusion of collaborative filtering algorithms. In *Proceedings of the 2008 ACM symposium on Applied computing*, pages 1995–1999. ACM, 2008.



International Journal for Innovative Engineering and Management Research

A Peer Reviewed Open Access International Journal

www.ijiemr.org

14] R. Verheijden. Predicting purchasing behavior throughout the clickstream. Master's thesis, Eindhoven University of Technology, May 2011.

15] F. Wu and B. A. Huberman. Novelty and collective attention. *Proceedings of the National Academy of Sciences, USA*, 104:17599–17601, 2007.