

A Peer Revieved Open Access International Journal

www.ijiemr.org

### **COPY RIGHT**





**2022 IJIEMR**. Personal use of this material is permitted. Permission from IJIEMR must

be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works. No Reprint should be done to this paper, all copy right is authenticated to Paper Authors

IJIEMR Transactions, online available on 12<sup>th</sup> Nov 2022. Link

:http://www.ijiemr.org/downloads.php?vol=Volume-11&issue=Issue 12

DOI: 10.48047/IJIEMR/V11/ISSUE 11/27

Title IOT BASED AUTO ILLUMINATED SMART STREET LAMP (SSL) IN HIGHWAYS

Volume 11, ISSUE 11, Pages: 174-181

**Paper Authors** 

T. Sivaram, Gadipally. Ranadeep, Kangtiwar. Arun, Yellaram. Bharath, Gopallollo. Shiva Kumar





USE THIS BARCODE TO ACCESS YOUR ONLINE PAPER

To Secure Your Paper As Per UGC Guidelines We Are Providing A Electronic

Bar Code



A Peer Revieved Open Access International Journal

www.ijiemr.org

# IOT BASED AUTO ILLUMINATED SMART STREET LAMP (SSL) IN HIGHWAYS

T. Sivaram<sup>1</sup>, Gadipally. Ranadeep<sup>2</sup>, Kangtiwar. Arun<sup>2</sup>, Yellaram. Bharath<sup>2</sup>, Gopallollo. Shiva Kumar<sup>2</sup>

<sup>1,2</sup>Department of Electrical and Electronics Engineering

<sup>1,2</sup>Malla Reddy Engineering College and Management Sciences, Medchal, Telangana

### **ABSTRACT**

Automation has created a bigger hype in the electronics. The major reason for this hype is automation provides greater advantages like accuracy, energy conversation, reliability and more over the automated systems do not require any human attention. Any one of the requirements stated above demands for the design of an automated device. Energy can be effectively conserved if we can control the traffic lights on the highways by glowing them only when there is traffic on the road, and this is all most impossible to detect the arrival of a vehicle manually without the presence of light. So, in this situation we should think about a system which can sense the arrival of vehicle and ON the lights and turn OFF as soon as the vehicle leaves the area and count the vehicle in total day. The total count of the vehicles will update into IOT based thing speak server database system.

Our high-power LED based streetlight controlling system is the result of this idea. This was designed with a vehicle detecting sensor which can sense the arrival of a vehicle. It drives the same information to a micro controller using internet of things we update everything into government websites immediately for status. The micro controller is interfaced with the streetlights and the total count of the vehicles will update into IOT. It is the responsibility of the controller to switch the status of the lights with respect to the acknowledgement received to it from the vehicle sensor and post into IOT. The major advantage of the device is it not only controls the intensity of the light as well as power saving on highways.

This Project work consists of a group of measuring stations in the street (one station located in each lamppost) and a base station located nearby. The measuring stations are used to observe street conditions as the intensity of daylight and, depending on the conditions they activate or off the lamps. For these reasons every lamp is designed independent to decide about the activation of light. The base station conjointly checks if any lamp is correctly operating and sends the information using the wireless network IOT.

**Keywords:** Smart streetlamp, IoT, automation.

#### 1. INTRODUCTION

The main objective of the intelligent city is to improve the protection, convenience, and convenience of operations and to conserve resources. To foster intelligent cities, an urban infrastructure is also more intelligent. As an integral part of the city's urban infrastructure, the streetlamp is closely related to protection and energy conservation. Today, without streetlights it is difficult to imagine how the city looks like. But in such a situation, theft and robbery are likely to seriously increase. it is easy to predict. In addition, the existing



A Peer Revieved Open Access International Journal

www.ijiemr.org

streetlamp management needs to be streamlined due to its high energy level on usage. day-by-day Today. the drawbacks of the streetlamps are manual administration or the light perception controls: 1) Long cycle of servicing. Both manual management and monitoring of light perception take manual patrols to control broken street lamps. maintenance cycle is therefore too long and it can be much longer than a few months, particularly for the suburban street lamps. However the risk increases only after the street light is disabled, so more accidents, robbery and theft may occur. 2) Hard management of fine grain. Manual management is clearly not intelligent enough and can be managed with difficulty in real time. In addition, one switch is used to control several street lamps at the same time in order to simplify manual management. The versatility is nearly restricted for light perception control. Real-time controls and remote controls are not included in the latest management systems. 3) High use of energy. There are only two states nowadays street lights, off and on. Furthermore, their brightness cannot be changed. Therefore, excess energy is consumed. The street lamps may often be dim in order to conserve energy. 4) Easy robbery. No efficient way to avoid street lamps from being steeled exists. There are a large number of street lamps, so all of them cannot be regulated at all times. stop robbing, street lamps have the ability to track themselves. A new generation of street lamps must boost their efficiency by incorporating the following features in order to optimize the abovementioned drawbacks in developing smart cities: 1) Minimize service life. One of the

most significant maintenance cycles is major smart city criteria. The maintenance cycle must therefore be minimized to the extent possible. A mechanism must be given to verify in real time broken lamps. 2) Complement the management of fine grain. There are few parts to fine grain controls: first each street lamp requires its own identity to differentiate between it; secondly, each street lamp should be controlled independently; third, all street lamps should be tested continuously. 3) Reduce the consumption of electricity. The luminous the street lamp, the more energy is used. However, energy consumption can decrease by changing the dynamic light intensity according to current demands. 4) A self-sufficient warning to deter robbery. Each street lamp must have the capacity to protect itself. If robbed, it can give a warning autonomously. This will prevent the theft of the street lamp. In this article we propose to satisfy all of the above four skills a street lamp management system (SLMS) based on fog computing. The proposed SLMS consists of three main parts: an intelligent street lamp that can change light brightness, an independent warning that reports on suspicious activity, effective network and used to communicate in real time between managers and bulky street lamps; and finally, a simple and highly automated, scalable management platform. In the proposed SLMS, the key contributions are: 1) the hybrid network will be implemented and the Narrow Band Internet of Things (NB-IoT) will be used for the real-time communication between servers and broad street lamps. 2) A versatile management platform is in place to alert managers of the broken street lamps in real time and to



A Peer Revieved Open Access International Journal

www.ijiemr.org

restore broken street lamps automatically by the maintenance personnel; 3) The states can be mapped in real-time for all street lamps. The basic firmware for the microcontroller is written in Embedded C language and compiling is done using complier. ARDUINO The compiler Hex the code for generates microcontroller and the Hex code is stored /programmed in flash memory of micro controller. An embedded system is a combination of software and hardware to perform a dedicated task. Some of the main devices used in embedded products are Microprocessors and Microcontrollers. Microprocessors are commonly referred to as general purpose processors as they simply accept the inputs, process it and output. the In contrast, microcontroller not only accepts the data as inputs but also manipulates it, interfaces the data with various devices, controls the data and thus finally gives the result. The "IOT SMART STREET LIGHT "can be done using ARDUINO microcontroller which automatically switches the street lights ON depending on the Vehicle presence.

Automation has created a bigger hype in the electronics. The major reason for this hype is automation provides greater advantages like accuracy, energy conversation, reliability and more over the automated systems do not require any attention. Any one human of requirements stated above demands for the design of an automated device. Energy can be effectively conserved if we can control the traffic lights on the highways by glowing them only when there is traffic on the road, and this is all most impossible to detect the arrival of a vehicle manually without the presence of light. a smart street lamp (SSL) based on the fog computing for smarter cities is proposed in this paper. Smart cities deliver great advantages both of protection and energy terms efficiency. The city street lamp connected to both energy conservation and protection. The street light is therefore a critical part of intelligent cities. However, today's street lamps lack intelligent features that increase both danger and energy consumption. A Street Light Management System (SLMS) focused on fog computing for smarter cities. It drives the same information to a micro controller using internet of things we update everything into government websites immediately for status. responsibility of the controller to switch the status of the lights with respect to the acknowledgement received to it from the vehicle sensor and post into LCD. The major advantage of the device is it not only controls the intensity of the light as well as power saving on highways. This Project work consists of a group of measuring stations in the street (one station located in each lamppost) and a base station located nearby. The measuring stations are used to observe street conditions as the intensity of daylight and, depending on the conditions they activate or off the lamps. For these reasons every lamp is designed independent to decide about the activation of light.

#### 2. LITERATURE SURVEY

S. Kamoji et al. (2020). [1] The method implemented is standardized, with modules: LED module and PIR, LDR, Emission Detector and the camera. The



A Peer Revieved Open Access International Journal

www.ijiemr.org

framework is a modular design. In the lack of motion and if the ambient light is sufficient, the brightness of the lights is decreased. The machine driver assistance module recognises the expelled cars by recognising the number plate. recognition number plate was carried out with RCNN and some techniques for the analysis of images. Pollution levels can be detected and registered by the pollution sensor around the street lamps. These data allow us to generate a city heat map of pollution and to identify areas that congested high frequency. A docking point for charging electric cars, which is a prepayment facility, is provided on a light pole. Y. Xue et al. (2020). [2] A smart dimming model based on the neural network is drawn up in this paper. The system will analyse road information submitted by the sensor layer, and output dimming signal, enhancing effectiveness of a flow control and a nerve network. The test results showed that the model is more environmentally friendly and compatible with naked eye in contrast to the conventional approach. H.Ibrahim et al. (2020). [3] The study explores efforts to focus on the idea of using load pressure from the transport route junction by means of mobile vehicles to peat lands and transform it into electric energy using a ramp coupled with piston-spring pressure and Piezoelectric control equipment. Junjian He et al. (2019). [4] This study analyses the Wireless Sensor Network (WSN) intelligent road lighting system and the useless decision-making process. this paper. The system captures metrics of the traffic conditions through WSN and implements versatile rules to smartly change the light on the road. The evidence

shows that this paper's sophisticated street lamp management system can intelligently control and light street lights on-demand, dramatically reduce energy usage and increase street lamp support and storage quality. M. Durgun et al. (2019). [5] The suggested street lighting offers special lighting depending on the region of illumination. The bulb can be tracked for the amount of light, location and fault conditions. For different illumination situations, variable structure techniques have been suggested. The proposed device, of its practicality because effectiveness, is expected to provide a revolutionary solution for current lighting problems. Sunhuang Chi et al. (2019). [6] This report contains and implements a highly tuned access control mechanism (includes high competitiveness, availability and high scalability) for urban street lamp IoT. And the test findings support the methodology reported in this article, which has enhanced stability and access to thousands or even millions of street lighting systems. Y. Sarr et al. (2019). [7] This paper provides a practical deployment of a vast intelligent street lighting platform that provides solar light stations control lamps to street dynamically. When only one access point implemented due to collisions. simulation findings indicate a high rate of packet loss. The results show that multiple LoRa network gateways obtain a higher distribution packet ratio and consumption of energy. W. A. Jabbar et al. (2019). [8] The work has proposed an intelligent environmentally green street light system for the efficient use of renewable energy sources and energy conservation (SGStreet-LS). The proposed



A Peer Revieved Open Access International Journal

www.ijiemr.org

system creates powerful concepts and concepts that allow street lights to function safely and quickly depending on the availability of illumination and movement wireless detection by using RF connectivity controls based in Arduino. N. T. Tung et al. (2019). [9] This review deals with both the formulation and management of an intelligent street lighting system dependent on LED light and wireless Lora interaction. D. Tukymbekov et al. (2019). [10] This article deals with an automated public lighting device with an energyefficient predictive algorithm. The work is connected to the control of the device using algorithms which can supply each lamp during the night. M. Hossain et al. (2019). [11] This article contains and shows a unique Led Street Lighting Device for Bangladesh regulated **Smart** Autonomous Power and Turn. S. Bruno et al. (2019). [12] This work provides preliminary findings of a continuing architecture research project to incorporate public road light strategies based on LEDs into other intelligent urban infrastructure and services. The article outlines the overall smart grid design of many devices, including renewable power generation, energy storage, charging stations and lights based on LEDs. A. Jha (2019). [13] This report outlines the major features of an 80W smart LED carrier that functions in 6LoWPAN connectivity.

#### 3. PROPOSED SYSTEM

This proposed street light intensity control monitoring project we are going to measure the fog on road and street light auto intensity control system for that we use input modules LDR for detect light, LCD for display for everything. Relay

controls the led brightness all are integrated to micro controller arduino which is powered by power supply. A Street Light Management System (SLMS) focused on fog computing for smarter cities. DHT11 module which detects the temperature and fog intensity levels on the street road. This data will give to micro controller and displayed by LCD module. LDR sensor which detects the light. Depending on the light intensity the street lights automatically turn ON and OFF depending on the day and night modes.




Fig. 1: Block diagram of proposed system.

#### 4. RESULTS AND DISCUSSION

#### 4.1 Arduino IDE

#### What is Arduino IDE?

The Arduino Integrated Development Environment - or Arduino Software (IDE) - contains a text editor for writing code, a message area, a text console, a toolbar with buttons for common functions and a series of menus. It connects to the Arduino hardware to upload programs and communicate with them.

A program for Arduino hardware may be written in any programming language with compilers that produce binary machine



A Peer Revieved Open Access International Journal

www.ijiemr.org

code for the target processor. Atmel provides a development environment for their 8-bit AVR and 32-bit ARM Cortex-M based microcontrollers: AVR Studio (older) and Atmel Studio (newer).

#### 4.2 Schematic diagram






Fig. 2: Schematic diagram of proposed system.

### 4.3 Hardware implementation





#### 5. CONCLUSION

We developed a management framework with a server focused on fog computing. This paper proposes a smart streets lamp (SLMS) based on fog computing to meet the requirements of smart cities. SLMS consists primarily of the following three parts: 1) intelligent sensor lamp (street lamp brightness can be changed and alerts autonomous about lamp abnormality. Integrating features of all the hardware components used have been developed in it. Presence of every module has been reasoned out and placed carefully, thus contributing to the best working of the unit. Secondly, using highly advanced ICs with the help of growing technology, the project has been successfully implemented. Thus, project has been successfully designed and tested. Our project "SMART STREET LIGHT" is mainly intended reduce the wastage of energy due to continuous ON of street lights even though vehicle leaves the area.

#### 5.1 Future Scope

This project can be extended using GSM. To measure vehicle, count as well as speed



A Peer Revieved Open Access International Journal

www.ijiemr.org

of the vehicles on street roads. GSM module will send the information regarding the vehicle speed and count, the status of street lights to the respective authorities.

#### REFERENCES

- [1] Archana. G, Aishwarya N, Anitha J
  "Intelligent Street Light System"
  International Journal of Recent
  Advances in Engineering &
  Technology, Vol-3, Issue-4, 2015.
- [2] Akshay Balachandran, Murali Siva, V. Parthasarathi, Surya and Shriram K. Vasudevan "An Innovation in the Field of Street Lighting System with Cost and Energy Efficiency" Indian Journal of Science and Technology, Vol-8, August 2015
- [3] DeepanshuKhandelwal, Bijo M Thomas, Kritika Mehndiratta, Nitin Kumar "Sensor Based Automatic Street Lighting system" International Journal of Education and Science Research Review Volume-2, Issue-2 April- 2015.
- [4] Isah Abdulazeez Watson, Oshomah Abdulai Braimah. Alexander "Design Omoregie and Implementation of an Automatic Light Control System" International Journal of Emerging **Technology** and Advanced Engineering, Volume 5, Issue 3, March 2015
- [5] Kapse Sagar Sudhakar1, Abhale Amol Anil2, Kudakechetan Ashok3, Shirsath Shravan Bhaskar4 "Automatic Street Light Control System" International

- Journal of Emerging Technology and Advanced Engineering" Volume 3, Issue 5, May 2013
- [6] Mustafsaad, Abdalhalim Farij, Ahamed Salah "Automatic Street Light Control System Using Microcontroller" Mathematical method and Optimization Technique in Engineering ISBN: 978-960-474-339-1.
- [7] Sakshee Srivastava, "Electronics and Communication Engineering, Institute Of Technology And Management AL-1, Sector-7, GIDA, Gorakhpur, U.P., INDIA" Advance in Electronic and Electric Engineering. ISSN 2231-1297, Volume 3, Number 5, 2013.
- [8] Prof. K.Y.Rajput, GargeyeeKhatav, Monica Pujari, PriyankaYadav, "International Journal of Engineering Science Invention" <a href="https://www.ijesi.org">www.ijesi.org</a> Volume 2 Issue 3 | March. 2013 | PP.60-69". Volume 2, Issue 3, March. 2013.
- [9] L. Jasio, T. Wilmshurst, D. Ibrahim, J. Morton, M. Bates, J. Smith D. Smith and C. Hellebuyck, PIC Microcontrollers: know it all, Publishing Elsevier Science, 2008.
- [10] K. S. Sudhakar, A. A. Anil, K. C. Ashok and S. S. Bhaskar, Automatic Street Light Control System, International Journal of Emerging Technology and Advanced Engineering, Vol. 3, May 2013.
- [11] Soledad Escolar, Jesús Carretero, Maria-Cristina Marinescu and Stefano Chessa



A Peer Revieved Open Access International Journal

www.ijiemr.org

- "Estimating Energy Savings in Smart Street Lighting byUsing an Adaptive Control System" International Journal of Distributed Sensor NetworksVolume 2014, Article ID 971587
- [12] Samir A. Elsagheer Mohamed "Smart Street Lighting Control and Monitoring System for Electrical Power Saving by Using VANET", Int. J. Communications, Network and System Sciences, 2013, 6, 351-360.
- [13] Andrea Zanella, Senior Member, IEEE, Nicola Bui, Angelo Castellani "Internet of Things for Smart Cities" IEEE Internet Of Things Journal, vol. 1, no. 1, Feb. 2014.
- [14] J. Sherly1, D. Somasundareswari "INTERNET OF THINGS BASED SMART TRANSPORTATION SYSTEMS" International Research Journal of Engineering and Technology Volume: 02 Issue: 07 | Oct-2015