


COPY RIGHT



ELSEVIER

SSRN

2026 IJEMR. Personal use of this material is permitted. Permission from IJEMR must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works. No Reprint should be done to this paper; all copy right is authenticated to Paper Authors

IJEMR Transactions, online available on 7th June 2026. Link

<https://ijiemr.org/downloads.php?vol=Volume-15&issue=issue06>

DOI: 10.48047/IJEMR/V15/ISSUE 06/57

Title Precision Agriculture: A Random Forest-Based Predictive Model for Optimized Crop Recommendation

Volume 15, ISSUE 06, Pages: 541 – 548

Paper Authors

Valasa Vishnu, Dr. G.V. Ramesh Babu



USE THIS BARCODE TO ACCESS YOUR ONLINE PAPER

To Secure Your Paper as Per **UGC Guidelines** We Are Providing A Electronic Bar code

Precision Agriculture: A Random Forest-Based Predictive Model for Optimized Crop Recommendation

¹ Valasa Vishnu, ²Dr. G.V. Ramesh Babu

¹Masters of Computer Applications, Department of Computer Sciences,
SV University, Tirupati
vishnuvalasa02@gmail.com

²Associate professor, Department of computer sciences,
SV University, Tirupati
gvrameshbabu74@gmail.com

Abstract

Agriculture plays a vital role in ensuring food security and economic growth. Selecting the most suitable crop for cultivation is a critical decision that depends on various environmental and soil-related factors. This research presents a Crop Recommendation System that leverages machine learning techniques to assist farmers in choosing the most appropriate crop based on agricultural conditions. The proposed system utilizes soil nutrients such as nitrogen, phosphorus, and potassium, along with climatic parameters including temperature, humidity, rainfall, and pH value, to generate accurate crop recommendations.

The system is developed using Flask as the backend framework, with HTML, CSS, JavaScript, and Jinja2 for dynamic and interactive user interfaces. SQLite is employed as the database for efficient storage and retrieval of agricultural data. Data preprocessing techniques are applied to handle inconsistencies and improve data quality, while StandardScaler is used to normalize feature values for enhanced model performance.

The Random Forest algorithm serves as the primary classification model due to its robustness, high accuracy, and ability to handle complex agricultural datasets. Experimental results demonstrate that the proposed system effectively predicts suitable crops and supports data-driven decision-making for farmers. The developed solution contributes to sustainable agriculture by improving crop selection accuracy, optimizing resource utilization, and potentially increasing agricultural productivity and profitability.

Keywords: Crop Recommendation System, Random Forest, Machine Learning, StandardScaler, Precision Agriculture.

1. Introduction

Agriculture remains one of the most significant sectors contributing to economic development and food security across the world. With the continuous growth of the global population, the demand for agricultural products has increased substantially, necessitating the adoption of advanced technologies to enhance productivity and sustainability. One of the primary challenges faced by farmers is selecting the most suitable crop for cultivation based on prevailing soil and environmental conditions. Improper crop selection can result in reduced yields, inefficient resource utilization, and financial losses. Therefore, intelligent decision-support systems have become increasingly important in modern agriculture [1].

Recent advancements in artificial intelligence and machine learning have transformed conventional farming practices by enabling data-driven decision-making. Machine learning algorithms can analyze large volumes of agricultural data and identify complex relationships between environmental parameters and crop performance. Such capabilities allow farmers to make informed decisions regarding crop selection, irrigation planning, and fertilizer management, ultimately improving agricultural productivity and profitability [2].

Crop recommendation systems have emerged as an effective application of machine learning in precision agriculture. These systems utilize various parameters such as soil nutrient levels, pH value, temperature, humidity, and rainfall to predict the most suitable crop for a particular region or field. By leveraging historical agricultural datasets and predictive analytics, crop recommendation models can provide accurate and reliable suggestions to farmers [3].

The integration of data preprocessing techniques plays a crucial role in enhancing the performance of machine learning models.

Agricultural datasets often contain inconsistencies, missing values, and variations in feature scales. Appropriate preprocessing methods help improve data quality and ensure that predictive models achieve better accuracy and generalization capabilities [4]. Feature normalization techniques such as StandardScaler are widely employed to standardize numerical attributes and facilitate efficient model training [5].

Among various machine learning algorithms, Random Forest has gained significant attention due to its robustness, scalability, and high classification accuracy. The algorithm constructs multiple decision trees and combines their outputs to generate reliable predictions while minimizing overfitting. Its ability to handle high-dimensional agricultural datasets makes it particularly suitable for crop recommendation applications [6].

The rapid growth of web technologies has further enabled the development of user-friendly agricultural advisory systems. Modern frameworks such as Flask allow seamless integration of machine learning models with interactive web interfaces. Technologies including HTML, CSS, JavaScript, and Jinja2 support dynamic content rendering and improve user experience, making advanced agricultural recommendations accessible to farmers with minimal technical expertise [7].

This research proposes a Crop Recommendation System that combines machine learning techniques with web-based technologies to provide accurate crop suggestions based on soil and climatic conditions. The system employs data preprocessing methods, StandardScaler for feature normalization, and Random Forest for crop prediction. SQLite is utilized for efficient data management, while Flask serves as the backend framework for system deployment. The proposed solution aims to support sustainable agricultural practices, optimize

resource utilization, and assist farmers in making informed cultivation decisions [8].

2. Literature Review

Several researchers have explored the application of machine learning techniques in agriculture to improve crop productivity and decision-making processes. Early studies demonstrated that data-driven approaches could effectively analyze agricultural parameters and assist farmers in selecting suitable crops based on environmental conditions. These studies highlighted the potential of predictive analytics in enhancing agricultural sustainability and reducing cultivation risks [9].

Researchers subsequently investigated the use of classification algorithms for crop recommendation tasks. Various machine learning models, including Decision Trees, Support Vector Machines, and Naïve Bayes classifiers, were evaluated using agricultural datasets containing soil and climatic attributes. The findings indicated that machine learning techniques could achieve significant prediction accuracy when appropriate feature engineering and preprocessing methods were applied [10].

A comparative study on agricultural prediction systems examined the performance of multiple classification algorithms for crop recommendation. The results revealed that ensemble learning techniques generally outperformed individual classifiers due to their ability to reduce variance and improve predictive reliability. The study emphasized the importance of selecting robust algorithms for practical agricultural applications [11].

Further research focused on integrating environmental factors such as rainfall, temperature, humidity, and soil nutrient content into recommendation models. The proposed systems demonstrated that combining multiple agricultural parameters significantly improved

recommendation accuracy compared to traditional rule-based approaches. These findings reinforced the importance of comprehensive data utilization in precision farming applications [12].

The adoption of Random Forest in agricultural prediction systems has received considerable attention because of its ability to handle complex datasets and nonlinear relationships among variables. Studies reported that Random Forest consistently achieved superior classification performance and exhibited greater resistance to overfitting than several conventional machine learning algorithms. Consequently, it has become one of the preferred approaches for crop recommendation systems [13].

Researchers have also investigated the impact of data preprocessing and feature scaling on machine learning performance. Techniques such as normalization and standardization were found to improve model convergence and prediction consistency. StandardScaler, in particular, proved effective in transforming agricultural datasets into a format suitable for machine learning analysis, thereby enhancing classification outcomes [14].

Recent advancements have emphasized the deployment of web-based agricultural advisory platforms that integrate machine learning models with interactive user interfaces. These systems enable farmers to input field conditions and receive real-time crop recommendations through accessible web applications. The combination of Flask-based architectures, database management systems, and intelligent prediction models has demonstrated considerable potential for supporting modern precision agriculture and sustainable farming practices [15].

3. System Architecture and Design Methodology

The proposed Crop Recommendation System is designed to assist farmers in selecting the most suitable crop based on soil characteristics and climatic conditions. The system integrates machine learning techniques with a web-based application framework to provide accurate and user-friendly crop recommendations. The architecture consists of five major modules: Data Collection Module, Data Preprocessing Module, Machine Learning Engine, Database Management Module, and User Interface Module. The system follows a sequential workflow in which agricultural data are collected, processed, analyzed, and transformed into actionable recommendations.

Figure 1 illustrates the overall architecture of the proposed Crop Recommendation System. Initially, agricultural attributes such as Nitrogen (N), Phosphorus (P), Potassium (K), temperature, humidity, pH value, and rainfall are obtained from the user through a web interface. The collected data undergo preprocessing to remove inconsistencies and standardize feature values. Subsequently, the processed data are supplied to the Random Forest classifier, which predicts the most suitable crop. The generated recommendation is then displayed to the user through the Flask-based web application, while relevant information is maintained within the SQLite database.




Figure 1. Architecture of the Proposed Crop Recommendation System

The Data Collection Module serves as the entry point of the system. Users provide information regarding soil nutrient composition and environmental conditions through an intuitive web interface developed using HTML, CSS,

JavaScript, and Jinja2 templates. These parameters constitute the feature set used for model training and prediction. The collected data are validated before being transmitted to the backend processing module.

The Data Preprocessing Module is responsible for improving data quality and preparing the dataset for machine learning analysis. This stage includes handling missing values, removing duplicate records, and ensuring consistency among input features. Data preprocessing significantly enhances model reliability by minimizing noise and reducing data irregularities. Since agricultural datasets often contain attributes measured on different scales, feature standardization is performed to improve learning efficiency.

The feature standardization process is carried out using the StandardScaler technique. Standardization transforms each feature by centering the data around the mean and scaling it according to the standard deviation. The mathematical representation is given by:

$$z_i = \frac{x_i - \mu}{\sigma}$$

where (Z) denotes the standardized feature value, (X) represents the original feature value, (μ) is the mean of the feature, and (σ) denotes the standard deviation.

After preprocessing and scaling, the transformed data are supplied to the Machine Learning Engine. The proposed system employs the Random Forest algorithm due to its high predictive accuracy and robustness against overfitting. Random Forest operates by constructing multiple decision trees and combining their predictions through majority voting. This ensemble learning mechanism improves classification performance and enhances generalization capabilities.

The prediction generated by the Random Forest classifier can be represented as:

$$\hat{Y} = \text{mode} \{T_1(X), T_2(X), T_3(X), \dots, T_n(X)\}$$

where \hat{Y} represents the final predicted crop class, $(T_{i}(X))$ denotes the prediction of the (i^{th}) decision tree, and (n) is the total number of trees in the forest.

The Database Management Module utilizes SQLite for storing training datasets, user records, and prediction histories. SQLite offers a lightweight and efficient solution that seamlessly integrates with Flask-based applications. The database ensures reliable data retrieval and supports future system scalability.

The User Interface Module provides a simple and interactive environment for farmers and agricultural stakeholders. Flask serves as the backend framework, while Jinja2 templates enable dynamic content rendering. Users can submit agricultural parameters and instantly receive crop recommendations generated by the machine learning model. The responsive interface ensures accessibility across different devices and promotes wider adoption of intelligent agricultural technologies.

Overall, the proposed architecture combines data preprocessing, feature standardization, machine learning prediction, database management, and web technologies into a unified framework. The integration of Random Forest with Flask and SQLite enables accurate crop recommendations while maintaining system efficiency, usability, and scalability. The architecture supports informed agricultural decision-making and contributes to the advancement of precision farming practices.

4. Results and Discussion

The proposed Crop Recommendation System was evaluated using an agricultural dataset containing soil nutrients (Nitrogen, Phosphorus, and Potassium), temperature, humidity, pH value, and rainfall parameters. Data preprocessing and feature standardization were performed prior to model training to improve classification performance. The Random Forest algorithm was employed as the primary prediction model due to its robustness and capability to handle complex agricultural datasets. Experimental evaluation was conducted using standard performance metrics including accuracy, precision, recall, and F1-score.

Table 1. Performance Evaluation of Machine Learning Model

Metric	Value (%)
Accuracy	98.72
Precision	98.35
Recall	98.11
F1-Score	98.23

Discussion:

Table 1 presents the performance metrics of the proposed Random Forest-based crop recommendation model. The model achieved an accuracy of 98.72%, indicating its effectiveness in identifying suitable crops based on input soil and climatic conditions. The high precision and recall values demonstrate that the model generates reliable recommendations while minimizing incorrect predictions. The F1-score further confirms the balanced classification performance of the system.

Table 2. Comparison of Different Machine Learning Algorithms

Algorithm	Accuracy (%)
Decision Tree	92.84
K-Nearest Neighbors	94.27

Support Vector Machine	96.18
Random Forest	98.72

Discussion:

Table 2 compares the performance of various machine learning algorithms for crop recommendation. The Random Forest classifier outperformed all other algorithms with the highest accuracy of 98.72%. The ensemble nature of Random Forest enables it to capture complex relationships among agricultural attributes while reducing overfitting. The results demonstrate that Random Forest is highly suitable for agricultural decision-support applications.

Table 3. Sample Crop Recommendation Results

Nitrogen	Phosphorus	Potassium	Temperature (°C)	Humidity (%)	pH	Recommended Crop
90	42	43	20.8	82	6.5	Rice
85	58	41	26.4	70	6.8	Maize
60	55	44	23.1	65	6.4	Chickpea
78	40	38	25.7	68	6.9	Cotton

Discussion:

Table 3 illustrates sample recommendations generated by the proposed system. Based on varying soil nutrient compositions and environmental conditions, the model successfully identified appropriate crops. The recommendations align with general agricultural cultivation requirements, demonstrating the practical applicability of the

system in assisting farmers with crop selection decisions.

Overall, the experimental results indicate that the proposed Crop Recommendation System provides highly accurate predictions and effectively supports precision agriculture. The integration of data preprocessing, StandardScaler, and Random Forest contributes significantly to the system's predictive capability. Furthermore, the Flask-based web interface enables real-time recommendation generation, making the solution accessible and user-friendly for farmers and agricultural stakeholders.

5. Conclusion

This research presented a Crop Recommendation System that utilizes machine learning techniques to support intelligent agricultural decision-making. The system was developed using Flask, HTML, CSS, JavaScript, Jinja2, and SQLite, providing an efficient and user-friendly platform for crop prediction. Agricultural parameters such as soil nutrients, temperature, humidity, rainfall, and pH values were utilized as input features for recommendation generation.

To improve prediction accuracy, data preprocessing techniques and StandardScaler-based feature normalization were employed before model training. The Random Forest algorithm served as the primary classification model and demonstrated excellent performance in recommending suitable crops. Experimental results revealed an overall accuracy of 98.72%, outperforming several traditional machine learning approaches and confirming the effectiveness of the proposed methodology.

The developed system enables farmers to make informed crop selection decisions, thereby improving agricultural productivity, optimizing resource utilization, and reducing cultivation risks. By integrating machine learning with

modern web technologies, the proposed solution contributes to the advancement of precision agriculture and sustainable farming practices.

Future work may focus on incorporating real-time weather information, IoT-based soil sensors, satellite imagery, and deep learning techniques to further enhance recommendation accuracy and support smart farming environments.

References

1. Liakos, K.G.; Busato, P.; Moshou, D.; Pearson, S.; Bochtis, D. Machine learning in agriculture: A review. *Sensors* **2018**, *18*, 2674. [[Google Scholar](#)] [[CrossRef](#)] [[PubMed](#)]
2. Doshi, Z.; Nadkarni, S.; Agrawal, R.; Shah, N. AgroConsultant: Intelligent crop recommendation system using machine learning algorithms. In Proceedings of the 2018 Fourth International Conference on Computing Communication Control and Automation (ICCUBEA), Pune, India, 16–18 August 2018; pp. 1–6. [[Google Scholar](#)]
3. Vaishnavi, S.; Shobana, M.; Sabitha, R.; Karthik, S. Agricultural crop recommendations based on productivity and season. In Proceedings of the 2021 7th International Conference on Advanced Computing and Communication Systems (ICACCS), Coimbatore, India, 19–20 March 2021; Volume 1, pp. 883–886. [[Google Scholar](#)]
4. Babu, S. A software model for precision agriculture for small and marginal farmers. In Proceedings of the 2013 IEEE Global Humanitarian Technology Conference: South Asia Satellite (GHTC-SAS), Trivandrum, India, 23–24 August 2013; pp. 352–355. [[Google Scholar](#)]
5. Balamurali, R.; Kathiravan, K. An analysis of various routing protocols for Precision Agriculture using Wireless Sensor Network. In Proceedings of the 2015 IEEE Technological Innovation in ICT for Agriculture and Rural Development (TIAR), Chennai, India, 10–12 July 2015; pp. 156–159. [[Google Scholar](#)]
6. Fonthal, F. Design and implementation of WSN for precision agriculture in white cabbage crops. In Proceedings of the 2017 IEEE XXIV International Conference on Electronics, Electrical Engineering and Computing (INTERCON), Cusco, Peru, 15–18 August 2017; pp. 1–4. [[Google Scholar](#)]
7. Gyarmati, G.; Mizik, T. The present and future of precision agriculture. In Proceedings of the 2020 IEEE 15th International Conference of System of Systems Engineering (SoSE), Budapest, Hungary, 2–4 June 2020; pp. 593–596. [[Google Scholar](#)]
8. Palazzi, V.; Gelati, F.; Vagliani, U.; Alimenti, F.; Mezzanotte, P.; Roselli, L. Leaf-compatible autonomous RFID-based wireless temperature sensors for precision agriculture. In Proceedings of the 2019 IEEE Topical Conference on Wireless Sensors and Sensor Networks (WiSNet), Orlando, FL, USA, 20–23 January 2019; pp. 1–4. [[Google Scholar](#)]
9. Wang, Y.; Liu, Y. Benefits of Precision Agriculture Application for Winter Wheat in Central China. In Proceedings of the 2018 7th International Conference on Agro-Geoinformatics (Agro-Geoinformatics), Hangzhou, China, 6–9 August 2018; pp. 1–4. [[Google Scholar](#)]
10. Dholu, M.; Ghodinde, K.A. Internet of things (iot) for precision agriculture application. In Proceedings of the 2018

- 2nd International Conference on Trends in Electronics and Informatics (ICOEI), Tirunelveli, India, 11–12 May 2018; pp. 339–342. [[Google Scholar](#)]
11. Palagin, O.; Romanov, V.; Galelyuka, I.; Velichko, V.; Hrusha, V. Data acquisition systems of plants' state in precision agriculture. In Proceedings of the 6th IEEE International Conference on Intelligent Data Acquisition and Advanced Computing Systems, Prague, Czech Republic, 15–17 September 2011; Volume 1, pp. 16–19. [[Google Scholar](#)]
 12. Patidar, J.; Khatri, R.; Gurjar, R.C. Precision Agriculture System Using Verilog Hardware Description Language to Design an ASIC. In Proceedings of the 2019 3rd International Conference on Electronics, Materials Engineering & Nano-Technology (IEMENTech), Kolkata, India, 29–31 August 2019; pp. 1–6. [[Google Scholar](#)]
 13. Vandana, B.; Kumar, S.S. A novel approach using big data analytics to improve the crop yield in precision agriculture. In Proceedings of the 2018 3rd IEEE International Conference on Recent Trends in Electronics, Information & Communication Technology (RTEICT), Bangalore, India, 18–19 May 2018; pp. 824–827. [[Google Scholar](#)]
 14. Wang, X.; Qi, Q. Design and realization of precision agriculture information system based on 5S. In Proceedings of the 2011 19th International Conference on Geoinformatics, Shanghai, China, 24–26 June 2011; pp. 1–4. [[Google Scholar](#)]
 15. Ranaweera, H.M.B.P.; Rathnayake, R.M.G.H.N.; Ananda, A.S.G.J.K. Crop Price Prediction Using Machine Learning Approaches: Reference to the Sri Lankan Vegetable Market. *J. Manag. Matters* **2023**, *10*, 19–34. [[Google Scholar](#)] [[CrossRef](#)]