International Journal for Innovative Engineering and Management Research
PEER REVIEWED OPEN ACCESS INTERNATIONAL JOURNAL
www.ijiemr.org

FIND ME AI-DEEP LEARNING SYSTEM FOR MISSING CHILD IDENTIFICATION

[1]Aleti Rishitha Reddy, [2] Dr.E.Ravi

[1]M. Tech Scholar in Department of CSE Sri Indu College of Engineering And Technology. Hyderabad
[2]Associate Professor in Department of CSE Sri Indu College of Engineering And Technology. Hyderabad

Abstract

The rapid increase in missing child cases has become a serious issue across many countries and requires immediate technological intervention for faster identification and recovery. Traditional methods such as police investigations, newspaper advertisements, public announcements, and manual database searches are often slow, labor-intensive, and inefficient. These approaches depend heavily on human observation and are unable to process large-scale surveillance data effectively. Recent advancements in Artificial Intelligence (AI), Machine Learning (ML), and Deep Learning (DL) have created new opportunities for solving complex real-world problems through automation and intelligent analysis. Facial recognition systems powered by deep learning algorithms can identify individuals from images and video streams with high accuracy even under challenging conditions. This paper presents an AI-based deep learning system for missing child identification using facial recognition technologies. The proposed framework uses Convolutional Neural Networks (CNNs), FaceNet, and ArcFace models for extracting unique facial embeddings from child images and matching them against a centralized database. The system integrates image preprocessing, feature extraction, similarity matching, real-time surveillance analysis, and automated notification mechanisms to improve identification efficiency. When a new image is uploaded through CCTV footage, surveillance cameras, or public submissions, the system processes the image, extracts facial features, compares them with stored embeddings, and generates alerts if a potential match is detected. The proposed system significantly reduces manual effort, improves recognition accuracy, and enables real-time monitoring. Experimental analysis demonstrates that the framework provides efficient identification performance even with large datasets and varying image conditions. The research highlights the potential of deep learning and artificial intelligence in supporting law enforcement agencies and child welfare organizations for locating missing children quickly and effectively.

Keywords— Artificial Intelligence, Deep Learning, Missing Child Identification, Facial Recognition, CNN, FaceNet, ArcFace, Machine Learning, Image Processing, Surveillance Systems.

International Journal for Innovative Engineering and Management Research
PEER REVIEWED OPEN ACCESS INTERNATIONAL JOURNAL
www.ijiemr.org

I. INTRODUCTION

Missing child incidents have become one of the most alarming social and security concerns worldwide. Every year, thousands of children disappear because of kidnapping, trafficking, family conflicts, accidental separation, and criminal activities. The emotional, psychological, and social impact on families and society is extremely severe. In many cases, delays in identifying and locating missing children reduce the chances of successful recovery. Therefore, there is a strong need for intelligent technological systems that can support law enforcement agencies in locating children quickly and accurately.

Traditional approaches for identifying missing children mainly rely on manual investigation methods. Police departments distribute posters, newspaper advertisements, television announcements, and social media posts to collect public information about missing children. Although these approaches are useful, they require extensive human involvement and are highly time-consuming. In addition, manual comparison of surveillance images and missing child records becomes difficult when dealing with large volumes of data. Existing methods often fail to identify children when facial appearance changes due to lighting conditions, age progression, pose variations, or low-quality images.

Recent developments in Artificial Intelligence (AI) and Deep Learning (DL) technologies have revolutionized the field of image recognition and facial analysis. Deep learning models can automatically learn complex facial patterns from images and identify individuals with high precision. Convolutional Neural Networks (CNNs) are particularly effective for extracting facial features from digital images and surveillance videos. These models are capable of analyzing large-scale image datasets efficiently and performing recognition tasks in real time.

Facial recognition systems have achieved remarkable success in applications such as biometric authentication, security surveillance, criminal detection, and attendance systems. Deep learning-based facial embedding models such as FaceNet and ArcFace have significantly improved face recognition accuracy by generating discriminative feature vectors for facial images [1], [2]. DeepFace demonstrated that deep neural networks could achieve near-human-level performance in face verification tasks [3].

The proposed research introduces “Find Me AI,” an intelligent missing child identification system based on deep learning and facial recognition technologies. The system stores facial images of missing children in a centralized database. When new images are captured from CCTV footage or uploaded through online platforms, the system preprocesses the images, extracts facial

embeddings, and compares them with existing records using similarity matching algorithms.

The proposed framework automates the identification process and minimizes the dependency on manual investigation. It supports real-time surveillance monitoring and generates immediate alerts whenever a possible match is identified. The integration of advanced deep learning models improves recognition accuracy even under difficult environmental conditions such as poor lighting, image blur, and partial facial occlusions.

The system aims to provide a scalable and efficient solution for missing child identification. By combining artificial intelligence, image processing, and automated surveillance technologies, the proposed framework can significantly enhance the effectiveness of child recovery operations and support public safety initiatives.

II. LITERATURE SURVEY

Facial recognition and deep learning technologies have been extensively researched over the past decade. Several researchers have proposed models and frameworks for improving face recognition accuracy and image processing efficiency.

Schroff et al. introduced FaceNet, a deep learning framework that maps facial images into compact Euclidean embedding spaces using triplet loss functions [1]. The FaceNet architecture generates embeddings where images of the same individual are positioned close together while embeddings of different individuals remain far apart. This model achieved outstanding performance in face verification and clustering tasks and became one of the most influential approaches in facial recognition research.

Deng et al. proposed ArcFace, which improved facial recognition performance by introducing additive angular margin loss [2]. ArcFace generates highly discriminative facial embeddings by maximizing inter-class variation and minimizing intra-class variation. The model achieved state-of-the-art performance on several benchmark datasets and significantly improved recognition accuracy under varying facial conditions.

Taigman et al. developed DeepFace, a deep neural network architecture capable of achieving near-human-level accuracy in face verification tasks [3]. The research demonstrated that deep neural networks combined with 3D facial alignment techniques could significantly improve facial recognition performance.

Parkhi et al. proposed deep convolutional neural network architectures for face recognition applications [4]. Their research emphasized the importance of large-scale datasets and deep

feature extraction techniques for improving recognition accuracy.

Traditional missing child identification systems mainly rely on centralized databases, manual searches, and public reporting methods. Some systems use basic facial recognition algorithms such as Local Binary Pattern Histogram (LBPH), Haar Cascades, and simple CNN classifiers. However, these methods are ineffective under challenging conditions such as pose variations, illumination changes, low-resolution images, and aging effects.

Several modern surveillance systems integrate CCTV monitoring and face detection technologies. However, most of these systems lack intelligent similarity matching and automated notification mechanisms. Manual verification is still required in many cases, reducing operational efficiency.

Recent advancements in deep learning, transfer learning, and image embedding technologies have enabled the development of more accurate and scalable recognition systems. The proposed research integrates CNN-based feature extraction, image preprocessing, embedding generation, similarity matching, and real-time surveillance monitoring to develop a comprehensive missing child identification framework.

III. EXISTING SYSTEM

Existing systems for missing child identification mainly depend on traditional investigation techniques and semi-automated database systems. Law enforcement agencies collect missing child information from parents and distribute the details through posters, newspapers, television announcements, and social media platforms. Public reporting and eyewitness accounts are used to locate missing children.

Many organizations maintain centralized databases containing missing child records. These databases include information such as name, age, gender, location, and photographs. However, searching these databases is generally performed manually using keyword filtering techniques. Since the process depends heavily on human effort, identification becomes slow and inefficient.

Some facial recognition systems use traditional computer vision methods such as Haar Cascades, LBPH algorithms, and classical machine learning classifiers. Although these methods can detect and recognize faces under controlled conditions, they fail when image quality changes due to lighting conditions, facial orientation, expression variation, and aging effects.

Existing surveillance systems can capture images from CCTV cameras installed in public

locations such as railway stations, airports, shopping malls, and bus stations. However, most surveillance systems only perform face detection and do not support intelligent matching with missing child databases.

The major limitations of existing systems include:

- Dependence on manual investigation and human observation.
- Lack of real-time monitoring capabilities.
- Poor scalability for large image datasets.
- Low recognition accuracy under uncontrolled conditions.
- Inability to process large-scale CCTV footage automatically.
- Absence of intelligent facial embedding and similarity matching mechanisms.
- Slow identification and response time.

These limitations motivate the need for an intelligent AI-powered system capable of performing automated missing child identification efficiently.

IV. PROBLEM STATEMENT

The increasing number of missing child cases requires rapid and intelligent identification mechanisms. Traditional methods for locating missing children are highly dependent on manual investigation and public reporting, which are slow, labor-intensive, and error-prone. Existing facial recognition systems are unable to handle real-time surveillance data effectively and often fail under varying environmental conditions such as low image quality, facial pose variations, lighting changes, and aging effects.

There is a need for a deep learning-based automated system capable of identifying missing children accurately from images and surveillance footage while minimizing human effort and reducing identification time. The proposed research aims to develop a scalable and intelligent facial recognition framework that integrates image preprocessing, deep learning-based feature extraction, similarity matching, and automated alert generation.

V. PROPOSED SYSTEM

The proposed system introduces an AI-based missing child identification framework using deep learning and facial recognition technologies. The system automates the identification process and significantly reduces the dependency on manual investigation techniques.

The proposed framework collects facial images of missing children from authorized sources such as police departments, parents, NGOs, and child welfare organizations. These images are preprocessed and stored in a centralized

database along with child details such as name, age, gender, location, and case information.

When a new image is captured through CCTV footage or uploaded through the system interface, the image undergoes preprocessing operations such as face detection, image normalization, noise reduction, resizing, and alignment. These operations improve image quality and ensure better recognition performance.

After preprocessing, deep learning models such as FaceNet and ArcFace extract facial embeddings from the image. These embeddings represent unique facial characteristics in the form of numerical vectors. The extracted vectors are compared with stored embeddings in the database using cosine similarity and K-Nearest Neighbour (KNN) algorithms.

$$\text{Cosine Similarity}(A, B) = \frac{A \cdot B}{\|A\|\|B\|}$$

If the similarity score exceeds a predefined threshold, the system identifies a potential match and automatically generates notifications for administrators and law enforcement agencies. Alerts can be sent through SMS, email, and dashboard notifications for immediate response.

The proposed system provides several advantages:

- Faster and automated identification process.
- Improved facial recognition accuracy.
- Real-time CCTV surveillance monitoring.
- Reduced manual effort and investigation time.
- Scalability for handling large image datasets.
- Intelligent similarity matching and ranking mechanisms.
- Automated notification and alert generation.

VI. METHODOLOGY

The proposed methodology consists of several stages that work together to perform missing child identification efficiently.

Initially, image datasets containing photographs of missing children are collected from police departments, NGOs, public datasets, and authorized sources. Each image is associated with child information such as age, gender, location, and disappearance details.

The collected images undergo preprocessing operations before being used for recognition tasks. Image preprocessing improves image quality and removes unwanted noise that may affect recognition accuracy. The preprocessing stage includes face detection, resizing, grayscale conversion, normalization, cropping, and alignment.

Convolutional Neural Networks (CNNs) are used for extracting facial features from images. Pre-trained deep learning models such as FaceNet and ArcFace generate high-dimensional embedding vectors representing unique facial characteristics. These embeddings capture information such as facial contours, eye distance, nose structure, and jawline patterns.

The generated facial embeddings are stored in a centralized database. Whenever a new image is uploaded into the system, the same preprocessing and embedding extraction operations are performed. Similarity matching algorithms compare the input embedding with stored embeddings in the database.

Cosine similarity and KNN algorithms calculate similarity scores between vectors and identify the closest matches. The system ranks potential matches according to similarity scores and returns the top matching results.

The proposed framework also supports real-time surveillance monitoring. CCTV images captured from public locations are continuously analyzed for facial matching operations. Whenever a potential match is identified, automated notifications are generated for immediate investigation and response.

VII. IMPLEMENTATION

The proposed system is implemented using Python programming language and deep learning frameworks such as TensorFlow and PyTorch. OpenCV is used for image preprocessing and face detection operations. Flask and Django frameworks are used for developing the web interface and backend services.

The implementation includes several modules such as user authentication, missing child registration, image preprocessing, feature extraction, similarity matching, database management, and alert generation.

The user authentication module ensures secure access to the system. Only authorized users such as police officers, NGOs, and administrators are allowed to upload and access missing child records.

The image preprocessing module uses OpenCV for detecting and cropping faces from uploaded images. Image resizing, normalization, and alignment techniques improve image quality before feature extraction.

The feature extraction module uses CNN-based deep learning models such as FaceNet and ArcFace to generate facial embeddings. Transfer learning techniques are used to reduce training complexity and improve recognition performance.

The similarity matching module compares input embeddings with database embeddings using cosine similarity and KNN algorithms. The

system retrieves the top matching results based on similarity scores.

MongoDB and MySQL databases are used for storing child records, image paths, metadata, and embedding vectors. The database management module supports real-time record updates and efficient retrieval mechanisms.

The notification module generates automated alerts whenever a potential match is identified. Notifications are sent through SMS, email, and dashboard systems to support immediate action.

VIII. RESULTS

The proposed system demonstrated effective performance in identifying missing children from uploaded images and surveillance footage. Experimental analysis showed that CNN-based feature extraction and facial embedding techniques significantly improved recognition accuracy compared with traditional facial recognition methods.

The system successfully processed large image datasets and generated matching results within a short time. Real-time surveillance monitoring enabled continuous face matching operations using CCTV footage from public locations.

The preprocessing operations improved recognition performance under varying lighting conditions, image blur, and pose variations. FaceNet and ArcFace models generated highly discriminative embeddings that improved similarity matching accuracy.

Performance evaluation metrics such as accuracy, precision, recall, and F1-score demonstrated improved system reliability and efficiency. The system also reduced false positives and improved ranking performance for potential matches.

The proposed framework significantly reduced manual investigation time and improved the overall efficiency of missing child identification operations.

IX. CONCLUSION

This research presented an AI-based deep learning framework for missing child identification using facial recognition technologies. The proposed system integrates image preprocessing, CNN-based feature extraction, facial embedding generation, similarity matching, surveillance monitoring, and automated alert mechanisms to improve identification efficiency.

The use of advanced deep learning models such as FaceNet and ArcFace significantly improved facial recognition accuracy under varying environmental conditions. The proposed framework reduced manual effort, minimized identification time, and enabled real-time monitoring using surveillance systems.

The research demonstrated the effectiveness of artificial intelligence and deep learning technologies in solving critical social challenges related to missing child cases. The system provides a scalable and intelligent platform capable of supporting law enforcement agencies and child welfare organizations.

Future enhancements such as live CCTV integration, age progression models, FAISS-based vector search optimization, cloud deployment, and mobile application support can further improve the system's practical deployment and large-scale performance.

REFERENCES

[1] F. Schroff, D. Kalenichenko, and J. Philbin, "FaceNet: A Unified Embedding for Face Recognition and Clustering," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2015.

[2] J. Deng et al., "ArcFace: Additive Angular Margin Loss for Deep Face Recognition," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019.

[3] Y. Taigman et al., "DeepFace: Closing the Gap to Human-Level Performance in Face Verification," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2014.

[4] O. Parkhi, A. Vedaldi, and A. Zisserman, "Deep Face Recognition," in *British Machine Vision Conference (BMVC)*, 2015.

[5] OpenCV, "Open Source Computer Vision Library." Available: https://opencv.org/

[6] TensorFlow, "An End-to-End Open Source Machine Learning Platform." Available: https://www.tensorflow.org/

[7] Keras, "Deep Learning for Humans." Available: https://keras.io/

[8] Scikit-learn, "Machine Learning in Python." Available: https://scikit-learn.org/

[9] NumPy, "Fundamental Package for Scientific Computing in Python." Available: https://numpy.org/

[10] Pandas, "Data Analysis and Manipulation Tool." Available: https://pandas.pydata.org/